WASTE MANAGEMENT AND MINIMISATION PLAN

RANGITOOPUNI, RIVERHEAD



PREPARED BY:

SALES STRATEGIST

29 April 2025



Contents

Ex	ecutive	summary	. 3	
1.	Site	& development details	. 5	
	1.1.	Location	. 5	
	1.2.	Description	. 5	
	1.3.	Collection Service options	. 7	
2.	Was	te Minimisation	. 8	
	2.1.	Refuse area design	. 8	
	2.2.	Separation of recyclable streams	. 8	
	2.3.	Active site management	. 9	
	2.4.	Education and communication	. 9	
3.	Refu	se & recyclables generation	10	
	3.1.	Volumes calculation	10	
	3.2.	Weekly volumes	11	
4.	Bin s	olutions	12	
	4.1.	Rationale	12	
	4.2.	Residential bin solutions	13	
	4.3.	Retirement Village community facilities	14	
	4.4.	Bin solution capacity	16	
5.	Refu	se areas1	17	
	5.1.	Overview	17	
	5.2.	Capacity	17	
	5.3.	Access	17	
	5.4.	Amenities	18	
	5.5.	Management	19	
6.	Priva	te collection service specifications	20	
	6.1.	Health & Safety2	20	
	6.2.	Truck specifications	20	
	6.3.	Hours of collection	21	
	6.4.	Waste stream treatment	21	
	6.5.	Rubbish Direct bin dimensions	22	
7.	Refe	rences	23	
8.	Арре	Appendices		







Executive summary

Development type

The development is a vacant lot bush block residential subdivision and a retirement village with community facilities

Location

Rangitoopuni, Riverhead

Collection services

The developer expects all units will use a private collection service. The residential subdivision houses and retirement village villas will store individual bins within their properties. The retirement village community facilities will store shared bins in three refuse management areas.

Bin solutions

Residential houses and Retirement Villas

For each residence: 1×120 litre wheelie bin for refuse, to be collected once per week, and 1×240 litre wheelie bin for co-mingled recyclables and cardboard, to be collected once per fortnight. Space will be provided for a food scraps bin, ready for when this weekly collection service is implemented in future.

Retirement Village community facilities

Shared bins: $2 \times 1100L$ mobile bins, $2 \times 660L$ mobile bins, and $1 \times 240L$ wheelie bin for refuse, $2 \times 240L$ wheelie bins for organic, $5 \times 660L$ mobile bins and $1 \times 240L$ wheelie bin for co-mingled recyclables and cardboard, and $2 \times 240L$ wheelie bins for glass, all bins to be collected once per week.

Access

Access for refuse collection is from Old North Road and Forestry Road, to the bin collection points and shared refuse management areas. Collection vehicles will park inside the site.







Code of Conduct Reference for Application Material

Although this is not a hearing before the Environment Court, I record that I have read and agree to comply with the Environment Court's Code of Conduct for Expert Witnesses as specified in the Environment Court's Practice Note 2023.

I confirm that this report is within my area of expertise, except where I state that I rely upon the evidence or reports of other expert witnesses lodged forming part of the project's application material.

I have not omitted to consider any material facts known to me that might alter or detract from the opinions expressed.









1. Site & development details

1.1. Location

• This development is located at Rangitoopuni, Riverhead



1.2. Description

• There will be residential accommodation with 207 houses, 260 retirement villas, and 36 care suites, plus community facilities:

Residential

Bush block residential houses

Unit type	Unit quantity	Bedrooms
5-bedroom	207	1,035
Totals:	207	1,035







Retirement Villas

Unit type	Unit quantity	Bedrooms
2-bedroom	95	190
2.5-bedroom	103	257.5
3-bedroom	62	186
Totals:	260	633.5

Care suites

Unit type	Unit quantity	Occupants	
Single room	36	47	
Totals:	36	47	

Amenity Building

Offices / activity	Floor area:	157 m²
Food & beverage	Floor area:	330 m²

Wellness Centre

Offices / activity	Floor area:	269 m²

Care Building

Offices	Floor area:	141 m²	
Food & beverage	Floor area:	211 m²	

Summary of onsite activities

Residential	Max occupancy:	3,384 persons
Offices / activity	Floor area:	567 m²
Food & beverage	Floor area:	541 m²







1.3. Collection Service options

All units

- The developer expects the owners will use a private collection service
- The owners have the option to choose any collection service that can provide adequate waste services

For more information, please refer to:

Appendix 1:

• Drawing: C100 – Proposed Development Overview - Stages







2. Waste Minimisation

New-build residential, commercial, and hospitality developments provide an opportunity to support diversion of waste from landfill through best-practice refuse area design, maximum separation of recyclable streams, active site management, and user education.

2.1. Refuse area design

Poorly-designed undersized refuse areas discourage users (residents, tenants, staff, and cleaners) from separating recyclables and landfill waste, as well as increase the likelihood of bags being dumped outside the refuse area, or just inside the door, or on top of bins.

Users of shared refuse areas are far more likely to separate recyclables and keep the space tidy if the refuse area or refuse room is:

- Sufficiently sized to allow all bins to be directly accessed without reaching over other bins
- Provided with a minimum of 1.1m walkways between bins to avoid contact between clothing and bins
- Well-lit during both day and night hours for good visibility and security of users
- Adequately ventilated to reduce potential for odours

2.2. Separation of recyclable streams

Users should be provided with opportunities to separate recyclables into as many different streams as they produce, including:

- Recyclables (glass, plastic, cardboard, paper, aluminium, tin, disposable coffee cups)
- Food and compostable waste (meat, fish, bones, paper towels, compostable plates and cups)
- Polystyrene
- E-waste
- Appliances and furniture

Ideally, separate recyclables bins would be provided for each recyclable stream. If this is impracticable due to space or budget constraints, users should be provided with advice on where specific recyclables may be accepted offsite, for example Auckland Council's Waitākere Refuse and Recycling Transfer Station.








2.3. Active site management

High levels of diversion from landfill are achievable where site management staff are proactively keeping refuse areas clean and tidy, promoting recyclables separation, and checking for crosscontamination.

Users are more inclined to correctly separate recyclables from landfill waste if there is active monitoring of refuse areas and bins, and follow up of any misbehaviour.

Security cameras are useful for deterring illegal dumping of bags or inorganic items.



2.4. Education and communication

It is important that users understand how to correctly separate recyclables from landfill waste, and which bins to use. Recommended education and communication methods include:

- Signage on the door or accessway identifying the location of refuse areas
- Written and pictorial signage on the walls of refuse areas identifying the bin types
- Signage on each bin, clearly identifying the type of refuse or recyclable items that can be placed into the bin
- Training for new users and on-going training for all users to ensure awareness of any changes in waste systems
- Feedback from the collection service provider on any cross-contamination issues











3. Refuse & recyclables generation

3.1. Volumes calculation

Calculation methodology

For this waste management and minimisation plan (WMMP), calculation of expected **maximum** weekly volumes of refuse and recyclables is based on:

- 100% occupancy
- Residential bedrooms (if any) will be occupied by two persons, unless single beds are specified
- All potential on-site activities that could generate refuse and recyclables are included

The Auckland Council Multi-Unit Waste Space Calculator tool is used for residential per-person generation rates and commercial per-square-metre generation rates, plus the percentage split across refuse, organic, and recycling (co-mingled recyclables + cardboard).

The Rubbish Direct database of recorded recycling volumes is used to give the average percentage split between co-mingled recyclables and cardboard.

Reduced bin capacity for residential sites

In consultation with Auckland Council's Waste Plan Consents Team, the recommended shared bin capacity for residential sites is targeted at approximately **65-75% of maximum** weekly volumes for the following reasons:

- Residential properties are rarely 100% occupied for 100% of the time
- It is more environmentally sustainable to manufacture, store, and clean fewer bins

Since this approach was adopted in 2021, a shared bin capacity of approximately 65-75% of maximum occupancy volumes has proven sufficient in practice for residential properties.

Individual bin capacity

Also in consultation with Auckland Council, the recommended individual bin capacity for residential sites is 240L total waste per household unit per week (1×120 L refuse bin weekly and 1×240 L co-mingled recyclables bin fortnightly) in alignment with Council's standard public collection service provision.







Rubbish Direct Limited PO Box 69 145 Glendene, Auckland 0645 Phone 0800 36 77 35

info@rubbishdirect.co.nz accounts@rubbishdirect.co.nz www.rubbishdirect.co.nz

3.2. Weekly volumes

Total refuse and recyclables

			Refuse (litres per week)	Recyclables (litres per week)
Residential	Max occupancy:	3,384 persons	85,277	117,763
Offices / activity	Floor area:	567 m²	238	329
Food & beverage	Floor area:	541 m²	1,818	2,510

Volumes by waste stream

	Volumes
	(litres per week)
Refuse	87,333
Organic	12,476
Co-mingled & glass	59,469
Cardboard	48,657







4. Bin solutions

4.1. Rationale

- All bins must be easily manoeuvrable
- All bins must have signage on the bins to show which items can go into the bin type
- Refuse, organic, and co-mingled recycling bins must have lids to exclude vermin and reduce odours
- Refuse, organic, and co-mingled recycling bins must be made of high-grade plastic to ensure they are durable and easy to clean
- Residents will be provided with a small benchtop bin for food scraps which can be emptied into the shared organic bin
- NOTE: the recommended bin solutions are based on the information available at the time of preparation of this report, and are flexible until more information is available following occupation







4.2. Residential bin solutions

Bush block residential houses

Refuse



x 207

Individual bins

- 120 litre wheelie bins
- Emptied once per week
- Weekly volume capacity of 24,840 litres

Co-mingled recyclables & cardboard



x 207

Individual bins

- 240 litre wheelie bins
- Emptied once per fortnight
- Weekly volume capacity of 24,840 litres

Retirement Villas

Refuse



x 260

Individual bins

- 120 litre wheelie bins
- Emptied once per week
- Weekly volume capacity of 31,200 litres

Co-mingled recyclables & cardboard



x 260

Individual bins

- 240 litre wheelie bins
- Emptied once per fortnight
- Weekly volume capacity of 31,200 litres







4.3. Retirement Village community facilities

Amenity Building

Refuse



x 2

Shared bins

- 660 litre mobile bins
- Emptied once per week
- Weekly volume capacity of 1,320 litres

Organic



x 1

Shared bins

- 240 litre wheelie bin
- Emptied once per week
- Weekly volume capacity of 240 litres

Co-mingled recyclables & cardboard



x 2

Shared bins

- 660 litre mobile bins
- Emptied once per week
- Weekly volume capacity of 1,320 litres

Glass



x 1

Shared bins

- 240 litre wheelie bin
- Emptied twice per week
- Weekly volume capacity of 240 litres

Wellness Centre

Refuse



x 1

Shared bins

- 240 litre wheelie bin
- Emptied once per week
- Weekly volume capacity of 240 litres







Co-mingled recyclables & cardboard



x 1

Shared bins

- 240 litre wheelie bin
- Emptied once per week
- Weekly volume capacity of 240 litres

Care Building

Refuse



x 2

Shared bins

- 1100 litre mobile bins
- Emptied once per week
- Weekly volume capacity of 2,200 litres

Organic



x 1

Shared bins

- 240 litre wheelie bin
- Emptied once per week
- Weekly volume capacity of 240 litres

Co-mingled recyclables & cardboard



x 3

Shared bins

- 660 litre mobile bins
- · Emptied once per week
- Weekly volume capacity of 1,980 litres

Glass



x 1

Shared bins

- 240 litre wheelie bin
- Emptied twice per week
- Weekly volume capacity of 240 litres







Rubbish Direct Limited PO Box 69 145 Glendene, Auckland 0645 Phone 0800 36 77 35 info@rubbishdirect.co.nz

accounts@rubbishdirect.co.nz www.rubbishdirect.co.nz

4.4. Bin solution capacity

	Weekly Volumes (litres per week)	Bin capacity Individual bins (litres per week)	Bin capacity Shared bins (litres per week)	Bin capacity Total (litres per week)
Refuse	87,333	49,035	3,760	52,795
Organic	12,476	7,005	480	7,485
Co-mingled & glass	59,469	30,822	2,427	33,249
Cardboard	48,657	25,218	1,593	26,811





5. Refuse areas

5.1. Overview

Residential houses and Retirement Villas – private collection

- The individual bins will be stored within the property of each unit
- Each unit will have a minimum of 1.4 m² of space allocated for bin storage
- Prior to collection days, residents will move full bins to the edge of the JOAL in front of their units for collection

Retirement Village community facilities - private collection

- There will be three refuse areas with shared bins
- The refuse areas will be constructed to comply with NZ Building Code G15 Solid Waste

5.2. Capacity

- The space required to store the shared bin solutions is 24.5 m²
- The total usable space of the shared refuse areas will be approximately 40 m²
- There will be sufficient space available to provide the waste collection services required, and to temporarily store inorganic items prior to collection

5.3. Access

Pedestrian access

- Residents will access their bin storage areas via the footpaths within their properties
- Staff will access the shared refuse areas via the walkways inside the property

Collection service contractor access

- The truck will drive forwards into the site from Old North Road and Forestry Road and park near the bin collection points and refuse areas
- The driver will collect the bins from the bin collection points and refuse areas, wheel them to the truck for emptying, and return them to the bin collection points and refuse areas
- Access between the bin collection points and refuse areas and the collection truck parking location will comply with NZ Building Code D1 Access Routes







For more information, please refer to:

Appendix 1:

• Drawing: C100 – Proposed Development Overview - Stages

5.4. Amenities

Noise

- All bins will be made of plastic or plastic-sacking materials to reduce the noise of items being placed in the bins, and the noise of the bin lids closing
- All refuse and recyclables collection trucks will be rear-loading (short drop from bin to compactor unit) to minimise the noise of items being emptied from full bins into the truck

Ventilation

• Ventilation of the refuse areas will comply with NZ Building Code G4 – Ventilation

Cleaning and maintenance

- The owners will engage a building manager or contractor to provide cleaning and maintenance services for the refuse areas, and to manage any inorganic items
- Wash-down facilities including a water supply tap and drainage will be provided for the refuse areas and bins
- Water supply to the refuse areas will comply with NZ Building Code G12 Water Supplies, and drainage from the refuse areas will comply with NZ Building Code G13 – Foul Water

Vermin control

• All plastic bins will have close-fitting lids to prevent vermin incursion

Security

- The refuse areas will be located inside the buildings and accessible only by staff
- The building manager or contractor will monitor the refuse areas, signs, and bins for any theft or vandalism issues
- The collection service contractor will advise of any damaged or missing bins

Lighting

• All refuse areas will be well lit for night-time use and security







Aesthetics

• The structure of the refuse areas will be aesthetically consistent with rest of the development, and will screen bins from view

5.5. Management

Transfer from residence to refuse area

- Each unit will have sufficient internal short-term storage space allocated for refuse and recyclables
- Residents will carry full refuse bags or recyclables containers to their bin storage areas, and place or empty them into their bins
- Staff will carry full refuse bags or recyclables containers to the shared refuse areas, and place or empty them into the shared bins
- The collection service contractor will transfer the refuse and recyclables to the collection truck as detailed in the Access section above

Awareness

- The shared refuse areas will have signage identifying them as refuse areas
- The refuse areas will have written and pictorial signage identifying the bin types
- All bins will have signage on the bin, clearly identifying the type of refuse or recyclable items that can be placed into the bin
- The collection service contractor will provide additional educational material about sorting of refuse and recyclables, if requested

Inorganic items

• The building manager or contractor will be responsible for arranging the proper disposal of any inorganic items

Food Scraps

• Residents may be entitled to use Auckland Council's food scraps collection if the council service is suitable for this development and all units are individually rated







6. Private collection service specifications

6.1. Health & Safety

Rubbish Direct will put in place appropriate safety measures while conducting refuse management activities within the complex:

- All Rubbish Direct drivers have been trained in Workplace Health & Safety practices and are issued a Health & Safety handbook
- Rubbish Direct implements any site-specific Health & Safety policies at all sites
- Rubbish Direct will endeavour to avoid servicing the complex at peak times
- All trucks are fitted with reversing cameras
- All trucks are fitted with reversing alerts

For more information, please refer to:

- Appendix 2: Health & Safety Policy
- Appendix 3: ISO 45001 Certification Occupational Health & Safety

6.2. Truck specifications

Details of the collection vehicles servicing the complex:

Compactor		
Weight	12 tonnes	
Length	7.5m	
Wheelbase	3.8m	
Rear Extension	2.3m	
Height	2.7m	
Width (truck body only)	2.1m	
Width (including mirrors)	2.55m	
Driver's door open	3.2m	
Turning Circle	17m diameter	
Exit Angle Lowest Truck	1.6	









6.3. Hours of collection

Rubbish Direct operates from 3am – 3pm, 7 days per week, so collections can be scheduled to take place before 7:00am if necessary (in non-residential areas). Rubbish Direct is fully operational 365 days per year, so refuse and recyclables will be collected on public holidays.

All refuse and recyclables collections will be scheduled to take place outside of peak traffic hours.

6.4. Waste stream treatment

ISO 14001 accreditation

Rubbish Direct maintains ISO 14001 certification for the environmental aspects and impacts associated with waste management services including waste collection, waste disposal and recycling services.

All recyclable materials are hand-sorted to obtain the highest landfill diversion rates.

Waste Streams	Products to be recycled	Treatment
Cardboard	Cardboard packaging	Hand-sorted at our depot, then sent to Oji Fibre Solutions for product recycling in NZ
Co-mingled recyclables	Glass, plastic, aluminium, tin, paper, disposable coffee cups	Hand-sorted at our depot, then sent to approved processors for product recycling
E-waste	Electronic & computer equipment	Hand-sorted at our depot, then sent to Sims Pacific Metals for product recycling
Food Waste	Meat, fish, bones, paper towels, compostable plates & cups	Hand-sorted at our depot, then sent to Envirofert Ltd for composting
Polystyrene	Polystyrene packaging	Hand-sorted at our depot, then sent to Natural Habitat for product recycling
Metals	Appliances, furniture	Sorted at our depot, then sent to Sims Pacific Metals for recycling in NZ
Refuse	Non-recyclable materials	Residual general waste to landfill – sent directly to Patiki Road transfer station







6.5. Rubbish Direct bin dimensions

All dimensions shown are overall dimensions with lid closed.

	Width	Depth	Height	Style
240 litre wheelie bin:RefuseCo-mingled recyclablesOrganic	585	740	1,060	RECYCLING
600 litre flexi-sack: • Cardboard • Polystyrene	800	800	1,150	AUBLISH DIABAT
660 litre mobile bin:RefuseCo-mingled recyclables	1,260	780	1,250	RUBERT DIRECT CROSS 27 25.
1100 litre mobile bin: • Refuse only	1,270	1,070	1,295	AUBUSH DIRECT GIAS ST 7-11







7. References

Auckland Council guidelines

- R7 Residential Design Element Design for Waste
- Auckland Council Multi-Unit Waste Space Calculator
- Waste Management Steps for Sub-Divisions, Multi-Unit Developments and Apartments

NZ Building Codes

- NZ Building Code D1 Access Routes
- NZ Building Code G4 Ventilation
- NZ Building Code G12 Water Supplies
- NZ Building Code G13 Foul Water
- NZ Building Code G15 Solid Waste

8. Appendices


Appendix 1:	Drawing: C100 – Proposed Development Overview - Stages
Appendix 2:	Health & Safety Policy
Appendix 3:	ISO 45001 Certification – Occupational Health & Safety
Appendix 4:	Environmental Policy
Appendix 5:	ISO 14001 Certification – Environmental Management
Appendix 6:	General & Products Liability Insurance Certificate
Appendix 7:	Rubbish Direct Recycling Poster





Appendix 1:

Drawing: C100 – Proposed Development Overview - Stages



Appendix 2:

Health & Safety Policy

Appendix A

Health & Safety Policy Statement



Rubbish Direct Ltd is committed to providing a safe and healthy environment for all employees, contractors and visitors in our workplace. In doing so, we will comply with relevant Health & Safety legislation, codes of practice and industry standards.

Our focus is on sustainable, continual improvement in Health & Safety performance through making safety a part of everything we do and is one of our core values: Be Safe – look after yourself and watch out for everyone else.

Rubbish Direct's responsibilities:

- Ensure that the workplace and the means of entering and leaving the workplace are safe and maintain healthy and safe working conditions to prevent work related injuries;
- Induct and train employees in safe procedures and work practices and enforce this through regular supervision;
- Maintain a commitment to consultation and encourage participation of workers and workers' representatives in matters concerning Health and Safety in the workplace;
- Accurately report, record, investigate and take corrective action on all accidents, injuries and near miss incidents to prevent reoccurrences;
- Support the safe and early return to work of injured employees using Return to Work Programs;
- Maintain an understanding of good health and safety practices for all employees relative to their positions;
- Ensure all scheduled safety and related audits are completed and actioned appropriately;
- Ensure that all practicable steps are taken to identify and reduce hazards and risks in the workplace;
- Maintain procedures for dealing with emergencies that may arise;
- Induct and orientate contractors.
- Provide sign in and PPE for all visitors.

Employee's responsibilities:

- Ensure their own safety and the safety of anyone else who may be affected by what they do, or do not do, while at work;
- Report any work-related hazards or unsafe actions they encounter;
- Accurately report any work-related accidents, injuries or near miss incidents, no matter how minor, immediately;
- Follow correct procedures and reasonable instructions including wearing personal protective equipment (PPE) as required;
- Not intentionally or recklessly interfere with or misuse equipment or any other items supplied at the workplace;



Managing Director

Appendix 3:

ISO 45001 Certification Occupational Health & Safety







This is to certify that

Rubbish Direct Limited

32 Bancroft Crescent Glendene Waitakere New Zealand

having been assessed by Telarc Limited and having been found to operate a health and safety management system conforming to

ISO 45001:2018 is hereby designated

Telarc Registered


for the following goods and services

No. 418



Waste Management services including waste collection, waste disposal and recycling services





Acting Chairperson





Health & Safety ISO 45001







18 July 2019

26 July 2026



Registered by Telarc Limited Building 7, Central Park 660-670 Great South Road, Ellerslie, Auckland 1051, Private Bag 28901, Remuera, Auckland 1541, Telephone: 64 9 525 0100 Facsimile: 64 9 525 1900 and subject to the Telarc Limited Terms and Conditions for Certification. While all due care and skill was exercised in carrying out this assessment, Telarc Limited accepts responsibility only for proven negligence. To verify that this certificate is current please refer to the JAS-ANZ register at www.ias-anz.org/register. This certificate and its associated schedules remain the property of Telarc Limited and must be returned if registration is withdrawn.







Registration Number: 418 Certificate Issued: 1 June 2023



Site Details:

Organisation	Address	Suburb	City	
Rubbish Direct Limited (12941)				
Rubbish Direct Limited	32 Bancroft Crescent	Glendene	Waitakere	NZ

Scope of Certification:

Waste Management services including waste collection, waste disposal and recycling services













Appendix 4:

Environmental Policy




Environmental Policy Statement

Rubbish Direct is committed to ensuring our products and services fully support our business sustainability vision of "meeting the needs of today, without adversely impacting on the environment and the needs of tomorrow".

Environmental Activities

To achieve this vision, Rubbish Direct will:

- 1. Ensure that environmental stewardship considerations are included in all business planning and operations.
- 2. Continually look for opportunities to reduce our clients environmental impact by minimising their waste streams through the promotion of reduce, re-use and recycle.
- 3. Ensure the prevention of pollution through all practices.
- 4. Comply with relevant environmental laws and codes.
- 5. Set, implement and review environmental objectives, plans and targets to drive performance improvements.
- 6. Communicate our performance internally and, where appropriate, to external stakeholders and interested parties.
- 7. Maintain our environmental values by educating and motivating staff, sub-contractors and suppliers to work in an environmentally responsible manner and contribute to the development of new ideas and initiatives.
- Strive for continual improvement in all environmental matters.



Appendix 5:

ISO 14001 Certification Environmental Management







This is to certify that

Rubbish Direct Limited

32 Bancroft Crescent Glendene Waitakere New Zealand

having been assessed by Telarc Limited and having been found to operate a environmental management system conforming to

ISO 14001:2015

is hereby designated

Telarc Registered for the following goods and services

NO. 210

22 December 2011

26 July 2026



Waste management services including waste collection, waste disposal and recycling services.











Original Registration:





Registered by Telarc Limited Building 7, Central Park 660-670 Great South Road, Ellerslie, Auckland 1051, Private Bag 28901, Remuera, Auckland 1541, Telephone: 64 9 525 0100 Facsimile: 64 9 525 1900 and subject to the Telarc Limited Terms and Conditions for Certification. While all due care and skill was exercised in carrying out this assessment, Telarc Limited accepts responsibility only for proven negligence. To verify that this certificate is current please refer to the JAS-ANZ register at www.ias-anz.org/register This certificate is current please refer to the JAS-ANZ register at www.ias-anz.org/register This certificate and its associated schedules remain the property of Telarc Limited and must be returned if registration is withdrawn.





SCHEDULE TO CERTIFICATE OF REGISTRATION

Registration Number: 210

Certificate Issued: 1 June 2023

Rubbish Direct Limited



Site Details:

Organisation	Address	Suburb	City	
Rubbish Direct Limited (12941)				
Rubbish Direct Limited	32 Bancroft	Glendene	Waitakere	NZ
	Crescent			



Scope of certification:

Waste management services including waste collection, waste disposal and recycling services.







Appendix 6:

General & Products Liability Insurance Certificate



AIG Insurance New Zealand Limited PO Box 1745 Shortland Street Auckland 1140 www.aig.co.nz T +64 9 355 3100 F +64 9 355 3135

Certificate of Insurance

To Whom It May Concern

Product: PrivateEdge

Date of Issue: 27 August 2024

Policyholder Name: RUBBISH DIRECT LIMITED

Policy Number: PE001595

Policy Period: 31 August 2024 to 31 August 2025

4:00 P.M. at the **Policyholder's** main address

Interested Parties:

Limit of Liability

Management Liability	\$ 1,000,000	Aggregate
General Liability	\$ 10,000,000	Occurrence
Product Hazard	\$ 10,000,000	Aggregate

Insurer AIG Insurance New Zealand Limited

Please note, this certificate is issued for your information and is a summary only of the cover provided by the insurance policy listed above. It confers no rights upon the certificate holder.

The insurance provided by the policy described in this certificate is subject to all of the terms, conditions and exclusions of such policy and to payment of the policy premium. The limits of liability set out herein may have been reduced by the payment of claims.

Signed for and on behalf of the insurer



AIG Insurance New Zealand Limited

Appendix 7:

Rubbish Direct Recycling Poster

0800 36 77 35

Please do not put your Leave it loose so we recycling into bags. IMPORTAN can sort it. PLASTIC BOTTLES **MILK BOTTLES NO PLASTIC BAGS GLASS JARS** FLATTENED CARDBOARD **GLASS BOTTLES** NO CROCKERY PAPER TIN CANS PLASTIC CONTAINERS **NO DRINKING GLASSES ALUMINIUM CANS**

Passionate about Doing the Right Thing