




TYPICAL SECTION : GREENWAY 1:30@A1 / 1:60@A3  
NOTE: VEGETATION SHOWN AS INDICATIVE OF 10-YEAR MATURITY



SECTION LOCATION PLAN - NTS

Client  
Unity Developments

Project  
Ashbourne Development, Matamata

Drawing  
2149/28 Typical Greenway Section

Issue Date  
18/11/25  
Issue  
S53

Drawn  
SW  
Checked  
CC





SPECIMEN TREES



BASIN PLANTING MIX



EDGE SLOPE PLANTING MIX 1



EDGE SLOPE PLANTING MIX 2



EDGE SLOPE PLANTING MIX 3





NATIVE ENHANCEMENT LOW



NATIVE ENHANCEMENT HIGH



NATIVE ENHANCEMENT HIGH cont.



ENHANCEMENT RIPARIAN PLANTING



ENHANCEMENT RIPARIAN PLANTING cont.





MAHINGA KAI PLANT MIX




HIDDEN FOREST PLANT MIX




PĀ HARAKEKE PLANTING MIX









PD-01: TREE IN GARDEN (100 / 80 / 45L)  
1:15 @ A1, 1:30 @ A3




PD-02: SMALL TREE (10L) IN GARDEN  
1:15 @ A1, 1:30 @ A3



PD-03: PB5 (3 / 2 / 0.5L) SHRUB/GRASSES IN GARDEN  
1:15 @ A1, 1:30 @ A3




PD-04: GARDEN BEDS  
1:15 @ A1, 1:30 @ A3



FD-PR: 1.2M POST AND RAIL FENCE 1:20@A1 / 1:40@A3



Code	Name	Specification
PR	Post and Rail Fence	battens, 25mm spacing, no stain 1.2m high, 150X50mm H4 horizontal rails (x3), 200mm spacings and 150X150mm posts, stained a recessive colour
PW	Post & Wire	1.2m H4 post, 4mm wire and H3.2 battens. Timber stained with approved stain colour



FD-TF: 1.8M PALING FENCE 1:20@A1 / 1:40@A3



NOTES: ALL FENCE POSTS TO BE IN 300MM DIAMETER CONCRETE ENCASEMENT TO A MINIMUM DEPTH THAT IS 1/3 OF THE TOTAL FENCE HEIGHT UNLESS OTHERWISE SPECIFIED.