## **DRAWING SHEET INDEX**

E001 - SHEET INDEX AND LOCALITY PLAN E002 - NOTES - GENERAL AND SITE SPECIFIC

E003 - LUMINAIRE AND COLUMN DETAILS AND QUANTITIES

E010 - SHEET LAYOUT - OVERALL E020 - MAINTAINED ISOLINES - OVERALL

E021 - E033 - MAINTAINED ISOLINES - LAYOUTS 1 to 13

E040 - INITIAL ISOLINES - OVERALL E041 - E053 - INITIAL ISOLINES - LAYOUTS 1 to 13

E060 - TYPICAL ELECTRICAL CONNECTION DETAILS

E070 - SAFETY-IN-DESIGN REGISTER

## LOCALITY PLAN (SCALE 1:5000 @A3)





	ASHBOURNE RETIREMENT VILLAGE			
SHEET INDEX AND LOCALITY PLAN				
	1:5000 @A3	DESIGNED BY	MLB	APPROVED BY
	PROJECT NUMBER 25-0075	DRAWING NUMBER EO	01	REVISION A

THE VALUES SHOWN IN THIS REPORT ARE THE RESULT OF PRECISION CALCULATIONS. IN PRACTICE THE VALUES MAY VARY DUE TO TOLERANCE ON LUMINAIRES, LUMINAIRE POSITIONING, SURFACE FINISHES AND ELECTRICAL SUPPLY. THE INFORMATION CONTAINED IN THIS DOCUMENT IS PROPRIETARY TO NORWICH GROUP LTD.



CLIENT

AIU	CONCEPT	
V	NOTES	DATE
4	CONCEPT DESIGN FOR DISCUSSION PURPOSES	14-04-2025
	_	

### **GENERAL NOTES**

- 1. THIS SECTION WILL BE FULLY POPULATED DURING THE DETAILED DESIGN STAGE.
- 2. FINAL DETAILED DESIGN WILL CONFIRM THE MEETING OF REQUIREMENTS OF THE CLIENT, THE APPROPRIATE LOCAL COUNCIL, AND THE LOCAL ELECTRICITY NETWORK PROVIDER.

# **SAFETY IN DESIGN**

NORWICH GROUP HAS FOLLOWED ALL PRACTICAL MEASURES TO ENSURE 'SAFETY IN DESIGN' IN ACCORDANCE WITH THE NZ HEALTH AND SAFETY AT WORK ACT 2015

# **LEGEND - ISOLUX PLOTS**

MAINTAINED ISOLUX PLOTS (ILLUMINANCE)			INITIAL ISOLUX PL	OTS
ISOLUX COLOUR VALUE		ISOLUX COLOUR	VALUE	
	0.22 lux	PR4 Road Reserve - Minimum Illuminance		2 lux
	0.3 lux	PR3 Road Reserve - Minimum Illuminance		10 lux
	3.5 lux	PR Specific Areas - Minimum Illuminance		

### LEGEND AND INVENTORY - COLUMNS AND LUMINAIRE LOCATIONS

QUANTITY SYMBOL		SYMBOL	DESCRIPTION
	110	XX	New Column and Luminaire to be established - Roads

THE VALUES SHOWN IN THIS REPORT ARE THE RESULT OF PRECISION CALCULATIONS. IN PRACTICE THE VALUES MAY VARY DUE TO TOLERANCE ON LUMINAIRES, LUMINAIRE POSITIONING, SURFACE FINISHES AND ELECTRICAL SUPPLY. THE INFORMATION CONTAINED IN THIS DOCUMENT IS PROPRIETARY TO NORWICH GROUP LTD.



CLIENT

CONCEPT			
REV	NOTES	DATE	
Α	CONCEPT DESIGN FOR DISCUSSION PURPOSES	14-04-2025	

# **DETAIL - NEW LUMINAIRES**

QTY	CODE	DESCRIPTION		
35	L1	NEW PHILIPS (NORWICH) LUMA BGP701 DW50 BL1 LED27 LED LUMINAIRE		
		(17W, 1392lm, CRI70, 3000K, DALI, NEMA, BLACK)		
73	L2	NEW PHILIPS (NORWICH) LUMA BGP701 DN10 BL2 LED24 LED LUMINAIRE		
		(15.9W, 1132lm, CRI70, 3000K, DALI, NEMA, BLACK)		
2	L3	NEW PHILIPS (NORWICH) LUMA BGP701 DPL1 BL1 LED30 LED LUMINAIRE		
		(19.7W, 1340lm, CRI70, 3000K, DALI, NEMA, BLACK)		

		LUMINOUS INTENSITY			
MF		Gamma80-90	Gamma90		
0.80		108.7 cd	0.0 cd		
0.80		251.9 cd	0.0 cd		
0.80		92.2 cd	0.0 cd		

# **DETAIL - NEW STREET LIGHT COLUMNS**

QTY	CODE	DESCRIPTION
108	C1	NEW (NORWICH) DECORATIVE GROUND-PLANT COLUMN WITH 6 m LUMINAIRE MOUNTING HEIGHT AND SINGLE 1 m CURVED OUTREACH
2	C2	NEW (NORWICH) DECORATIVE GROUND-PLANT COLUMN WITH 6 m LUMINAIRE MOUNTING HEIGHT AND VERTICAL 60mm OD POST-TOP SPIGOT

ASHBOURNE I	AGE		
COLUMN AND	LS		
SCALE @ A3	DESIGNED BY CHECKED BY	APPROVED BY	
N.T.S.	GU	MLB	JA
PROJECT NUMBER		REVISION	
25-0075	F0	03	l A

THE VALUES SHOWN IN THIS REPORT ARE THE RESULT OF PRECISION CALCULATIONS. IN PRACTICE THE VALUES MAY VARY DUE TO TOLERANCE ON LUMINAIRES, LUMINAIRE POSITIONING, SURFACE FINISHES AND ELECTRICAL SUPPLY. THE INFORMATION CONTAINED IN THIS DOCUMENT IS PROPRIETARY TO NORWICH GROUP LTD.



CLIENT



	CONCEPT	
REV	NOTES	DATE
Α	CONCEPT DESIGN FOR DISCUSSION PURPOSES	14-04-2025



ASHBOURNE RETIREMENT VILLAGE				
SHEET LAYOUT - OVERALL				
SCALE @ A3	DESIGNED BY	CHECKED BY	APPROVED BY	
1:2500 @A3	GU	MLB	JA	
PROJECT NUMBER	DRAWING NUMBER		REVISION	
25-0075	E0	10	Α	

ON LUMINAIRES, LUMINAIRE POSITIONING, SURFACE FINISHES AND ELECTRICAL SUPPLY. THE INFORMATION CONTAINED IN THIS DOCUMENT IS PROPRIETARY TO NORWICH GROUP LTD.




HPA


DESIGN DELIVER


	CONCEPT	
EV	NOTES	DATE
Α	CONCEPT DESIGN FOR DISCUSSION PURPOSES	14-04-202





E020
































DRAWING MAINTAINED ISOLINES - LAYOUT 12


SCALE (BA) 1:500 (@A3 | GU | MLB | JA)

PROJECT NUMBER 25-0075 | CRAWING NUMBER | REVISION | APPROVED BY | LAYOUT BY | APPROVED BY | LAYOUT BY |

CALCULATIONS. IN PRACTICE THE VALUES MAY VARY DUE TO TOLERANCE ON LUMINAIRES, LUMINAIRE POSITIONING, SURFACE FINISHES AND ELECTRICAL SUPPLY. THE INFORMATION CONTAINED IN THIS DOCUMENT IS PROPRIETARY TO NORWICH GROUP LTD.



ATU	CONCEPT	
٧	NOTES	DATE
4	CONCEPT DESIGN FOR DISCUSSION PURPOSES	14-04-20




ASHBOURNE RETIREMENT VILLAGE				
MAINTAINED ISOLINES - LAYOUT 13				
1:500 @A3	GU GU	MLB	JA	
PROJECT NUMBER 25-0075	DRAWING NUMBER EO	33	REVISION A	


THE VALUES SHOWN IN THIS REPORT ARE THE RESULT OF PRECISION CALCULATIONS. IN PRACTICE THE VALUES MAY VARY DUE TO TOLERANCE ON LUMINAIRES, LUMINAIRE POSITIONING, SURFACE FINISHES AND ELECTRICAL SUPPLY. THE INFORMATION CONTAINED IN THIS DOCUMENT IS PROPRIETARY TO NORWICH GROUP LTD.





	CONCEPT	
REV	NOTES	DATE
Α	CONCEPT DESIGN FOR DISCUSSION PURPOSES	14-04-2025

























1:500 @A3 MLB JA GU 25-0075 E048


SUPPLY. THE INFORMATION CONTAINED IN THIS DOCUMENT IS PROPRIETARY TO NORWICH GROUP LTD.




	CONCEPT		
V	NOTES	DATE	
	CONCEPT DESIGN FOR DISCUSSION PURPOSES	14-04-2025	










CALCULATIONS. IN PRACTICE THE VALUES MAY VARY DUE TO TOLERANCE ON LUMINAIRES, LUMINAIRE POSITIONING, SURFACE FINISHES AND ELECTRICAL SUPPLY. THE INFORMATION CONTAINED IN THIS DOCUMENT IS PROPRIETARY TO NORWICH GROUP LTD.



TATU	CONCEPT	
EV	NOTES	DATE
Α	CONCEPT DESIGN FOR DISCUSSION PURPOSES	14-04-202




ASHBOURNE RETIREMENT VILLAGE				
INITIAL ISOLINES - LAYOUT 13				
SCALE @ A3	DESIGNED BY	CHECKED BY	APPROVED BY	
1:500 @A3	GU	MLB	JA	
PROJECT NUMBER	DRAWING NUMBER		REVISION	
25-0075	E053		Α	

THE VALUES SHOWN IN THIS REPORT ARE THE RESULT OF PRECISION CALCULATIONS. IN PRACTICE THE VALUES MAY VARY DUE TO TOLERANCE ON LUMINAIRES, LUMINAIRE POSITIONING, SURFACE FINISHES AND ELECTRICAL SUPPLY. THE INFORMATION CONTAINED IN THIS DOCUMENT IS PROPRIETARY TO NORWICH GROUP LTD.




	CONCEPT	
REV	NOTES	DATE
Α	CONCEPT DESIGN FOR DISCUSSION PURPOSES	14-04-2025



# TYPICAL STREETLIGHTING POLE ELECTRICAL CONNECTIONS

NOTE: (\*) DELETE THE MEN LINK WHERE THE SUPPLY CIRCUIT ORIGINATES FROM A LINKED BUS BAR SWITCHBOARD



### **TYPICAL POLE EARTHING DETAIL**

NOTE: (\*) DELETE THE MEN LINK WHERE THE SUPPLY CIRCUIT ORIGINATES FROM A LINKED BUS BAR SWITCHBOARD

ASHBOURNE RETIREMENT VILLAGE				
ELECTRICAL CONNECTIONS (TYPICAL)				
SCALE @ A3	DESIGNED BY	CHECKED BY	APPROVED BY	
N.T.S.	GU	MLB	JA	
PROJECT NUMBER	DRAWING NUMBER		REVISION	
25-0075	E060		Α	

THE VALUES SHOWN IN THIS REPORT ARE THE RESULT OF PRECISION CALCULATIONS. IN PRACTICE THE VALUES MAY VARY DUE TO TOLERANCE ON LUMINAIRES, LUMINAIRE POSITIONING, SURFACE FINISHES AND ELECTRICAL SUPPLY. THE INFORMATION CONTAINED IN THIS DOCUMENT IS PROPRIETARY TO NORWICH GROUP LTD.



CLIENT

DESIGN BY	
NORWICH GROUP	

STATU	CONCEPT			
REV	NOTES	DATE		
Α	CONCEPT DESIGN FOR DISCUSSION PURPOSES	14-04-2025		

# SAFETY-IN-DESIGN REGISTER WILL BE COMPLETED DURING DETAILED DESIGN PHASE CLIENT **CONCEPT DESIGN BY** ASHBOURNE RETIREMENT VILLAGE THE VALUES SHOWN IN THIS REPORT ARE THE RESULT OF PRECISION CALCULATIONS. IN PRACTICE THE VALUES MAY VARY DUE TO TOLERANCE DEFINE DESIGN SAFETY-IN-DESIGN REGISTER REV NOTES DATE ON LUMINAIRES, LUMINAIRE POSITIONING, SURFACE FINISHES AND ELECTRICAL A CONCEPT DESIGN FOR DISCUSSION PURPOSES 14-04-2025 N.T.S. SUPPLY. THE INFORMATION CONTAINED IN THIS DOCUMENT IS PROPRIETARY TO MLB JA DELIVER NORWICH GROUP LTD. **HPA** 25-0075 E070