## **TABLE OF CONTENTS**

1.	Introdu	ction	1
	1.1	Background	1
	1.2	Waihi North Project Overview	2
	1.3	The Purpose of the Fast-Track Approvals Act	10
	1.4	Oceana Gold (New Zealand) Limited	11
	1.5	Approach to Minimising Effects and Their Management	18
	1.6	Approach to Engagement with Tangata Whenua, Community, Stakeholders	
		and Interested Parties	22
	1.7	Approach for Integration with Existing Mining Infrastructure	23
	1.8	Relationship with Proposed Plan Change 6	23
	1.9	Application Structure	23
2.	Descrip	otion of the Proposal	31
	2.1	Overview	31
	2.2	Project Drivers	31
	2.3	Sequencing of Activities and Proposed Works Dates	31
	2.4	Utilisation of Existing Infrastructure	34
	2.5	Project Areas	35
	2.6	Area 1	37
	2.7	Area 2	88
	2.8	Area 3	106
	2.9	Area 4	111
	2.10	Area 5	115
	2.11	Area 6	155
	2.12	Area 7	168
	2.13	Activities Outside Areas 1 - 7	189
	2.14	Waihi North Biodiversity Project	191
3.	Environ	nmental Setting	_ 194
	3.1	Overview	194
	3.2	Existing Authorisations and Approvals	194
	3.3	Site Zoning, Highly Productive Land, Land Ownership, and Residential	
		Activities	212
	3.4	Cultural Setting	237
	3.5	Geology	237
	3.6	Hydrology	246
	3.7	Hydrogeology	259
	3.8	Ecology	266
	3.9	Landscape and Natural Character Values	292
	3.10	Existing Water Resource Users	295
	3.11	Archaeology and Historic Heritage	296
	3.12	Recreation and Tourism Values	303
	3.13	Noise	308
	3.14	Vibration	310

	3.15	Ground Contamination	311
	3.16	Meteorology and Air Quality	313
	3.17	Transportation Network	314
	3.18	Biodiversity Project Area	317
4.	Approv	als Needed and Sought	320
	4.1	Overview	320
	4.2	Resource Management Act 1991	320
	4.3	The Crown Minerals Act 1991	337
	4.4	Conservation Act 1987	340
	4.5	Wildlife Act 1953	341
	4.6	The Heritage New Zealand Pouhere Taonga Act 2014	342
	4.7	Freshwater Fisheries Regulations 1983	342
5.	Consul	tation and Engagement	344
	5.1	Overview	344
	5.2	Local and Administering Authorities	345
	5.3	Engagement with Tangata Whenua	352
	5.4	Government Agencies	358
	5.5	Environmental Groups	359
	5.6	Other Stakeholders and Members of the Community	360
	5.7	Summary of Feedback and Concerns	362
6.	Assess	ment of Environmental Effects	373
	6.1	Overview	373
	6.2	Cultural Effects	375
	6.3	Positive Effects	378
	6.4	Effects on Surface and Groundwater	384
	6.5	Ground Settlement and Subsidence Effects	418
	6.6	Ecological Effects	421
	6.7	Landscape, Visual Amenity and Natural Character Effects	460
	6.8	Geotechnical Effects	472
	6.9	Geochemistry and Acid Rock Drainage Effects	480
	6.10	Noise Effects	484
	6.11	Blasting and Vibration Effects	492
	6.12	Effects relating to Recreation and Tourism	500
	6.13 6.14	Air Quality Effects	504 509
	6.14	Lighting Effects	511
	6.16	Archaeological and Historic Heritage Effects  Effects Relating to the Storage and Handling of Hazardous Substances	515
	6.17	Contaminated Land Management	519
	6.18	Transportation Effects	520
	6.19	Social Impacts	524
	6.20	Closure and Aftercare	531
7.		ement and Monitoring of Environmental Effects	538
	7 1	Approach Taken	538

	7.2	Measures Proposed	539
3.	Fast-Track	Approvals Act 2024 Requirements	_ 557
	8.1	Overview	557
	8.2	Preliminary Steps for Listed Projects	557
	8.3	Preliminary Step for Application for Resource Consent	558
	8.4	Requirements for a Substantive Application	558
	8.5	Waihi North Project and the Purpose of the Act	565
	8.6	Ineligible Activities	567
	8.7	Approvals Relating to The Resource Management Act 1991	568
	8.8	Approvals Relating to The Conservation Act 1987	654
	8.9	Approvals Relating to The Wildlife Act 1953	670
	8.10	Approvals Relating to The Heritage New Zealand Pouhere Taonga Act 2014	674
	8.11	Approvals Relating to the Freshwater Fisheries Regulations 1983	676
	8.12	Approvals Relating to The Crown Minerals Act 1991	677
	8.13	Conclusion	690
Э.	Conclusio	n	691
	9.1	Meeting the Purpose of the Act	691
	9.2	Managing the Effects of the Project	691
		FIGURES  Output I postion of the Weilei North Project	4
	Figure 1-1:	General Location of the Waihi North Project	1
	Figure 1-2:	OGNZL's Existing and Consented Mining Activities at Waihi	7
	Figure 1-3:	Overview of the Key Components of the Waihi North Project	8
	Figure 1-4:	Waihi North Project Areas 1-7	9
	Figure 2-1:	Waihi North Project – Project Areas	36
	Figure 2-2:	Typical Portable Drill Rig Set Up	40
	Figure 2-3:	Area Within Which Exploration Drill Sites will be Established (at any Eigh	t of
		the Proposed Additional Sites)	41
	Figure 2-4:	Area for Proposed Drill Sites above the WUG Dual Tunnel Corridor	42
	Figure 2-5:	Area for Proposed Pumping Test / Ventilation Shaft Sites	43
	Figure 2-6:	Area for Proposed Piezometers Installation	44
	Figure 2-7:	Indicative Locations of Proposed Piezometers Within the TCDC Boundary	ries
		(Red Circles)	15

Figure 2-8:	Typical Drilling Platform Construction
Figure 2-9:	Typical Drilling Set Up (vertical drilling will be employed for shaft geotechnica investigation)
Figure 2-10:	Typical Drilling Platform Layout48
Figure 2-11:	Example Raise Bore Machine49
Figure 2-12:	Current Wooden Deck Arrangement Verses Proposed Concrete Pad  Arrangement
Figure 2-13:	Typical L140 Portable Drill Rig Set Up
Figure 2-14:	Example of Data Logger Box Installation after Piezometer Construction 54
Figure 2-15:	Example Rain Gauge Configuration
Figure 2-16:	Proposed Access Tunnel Arrangement for the WNP61
Figure 2-17:	Conceptual Long Section View of WUG Dual Tunnel Design
Figure 2-18:	Indicative Dual Tunnel Cross Section
Figure 2-19:	Typical Surface Ventilation Evasé
Figure 2-20:	Proposed Amenities Facility Concept
Figure 2-21:	Conceptual Modified Avoca Mining Method70
Figure 2-22:	Transverse Mining Method
Figure 2-23:	Location of Pedestrian Track Counter
Figure 2-24:	Existing and Proposed Surface Water Monitoring Sites in Area 174
Figure 2-25:	Surface Water Monitoring Station
Figure 2-26:	Example of Telemetry System Gateway77
Figure 2-27:	Example of Telemetry System Node
Figure 2-28:	Proposed Archey's Frog monitoring location envelopes
Figure 2-29:	Overview of the Willows Surface Facilities Area90
Figure 2-30:	Visual Representation of the WRS and Willows Collection Pond (depicted at the right-hand end of the figure)

Figure 2-31:	Willows Access Tunnel Arrangement	97
Figure 2-32:	Example Access Tunnel Portal	98
Figure 2-33:	Proposed Planting Within and in Close Proximity to Area 2	101
Figure 2-34:	Proposed Planting on Public Conservation Land Within and in Close Proposed 2	
Figure 2-35:	Proposed Planting Within and in Close Proximity to Area 3	109
Figure 2-36	Proposed Planting on Public Conservation Land in Close Proximity to  Area 3	110
Figure 2-37:	Indicative Services Trench Alignment	113
Figure 2-38:	Proposed Planting Within and in Close Proximity to Area 4	114
Figure 2-39:	Overview Plan of the Gladstone Open Pit	116
Figure 2-40:	Proposed Overhead Powerline Relocation	119
Figure 2-41:	Typical Cross Section of the GOP TSF (GHD (2025a)	124
Figure 2-42:	Isometric View of the GOP TSF Prior to Tailings Input	125
Figure 2-43:	GOP TSF Closure Concept	126
Figure 2-44:	Location of Proposed WUG Portal	127
Figure 2-45:	Proposed Layout of the Processing Plant	129
Figure 2-46:	Reefton Modular Primary Crusher Plant	131
Figure 2-47:	Reefton SAG Mill	131
Figure 2-48:	New Ball Mill Plant 3-D Model	132
Figure 2-49:	Leaching Circuit Upgrade 3-D Model	133
Figure 2-50:	Typical Mercury Retort Oven	134
Figure 2-51:	Proposed New Mine Substation	136
Figure 2-52:	Proposed WTP Flow Sheet	138
Figure 2-53:	Proposed Design for the Additional Discharge Outfalls to be Placed wi	

Figure 2-54:	Proposed Alignment of the Pipelines for the Additional Discharge Outfalls 141
Figure 2-55:	Locations of the Mill Bridge, Heavy Vehicle Crossing, and Laydown Area within the Marginal Strip of the Ohinemuri River
Figure 2-56:	Mill Bridge, showing footings and road approach located on public conservation land (looking from the northeast of the bridge)148
Figure 2-57:	Laydown located on public conservation land, adjacent to the Mill Bridge 148
Figure 2-58:	Approach to the Ohinemuri River heavy vehicle crossing, located on public conservation land
Figure 2-59:	Approximate Location of Proposed Parking Areas Accessed from Baxter  Road
Figure 2-60:	Proposed Planting Within and in Close Proximity to Area 5
Figure 2-61:	Proposed Planting on Public Conservation Land in Close Proximity to  Area
Figure 2-62:	Plan of the proposed lizard relocation area within the wider landscape surrounding the WNP
Figure 2-63:	Proposed Domain Road Road-Stopping (in red)
Figure 2-64:	The NRS Location and Footprint (EGL (2025d))
Figure 2-65:	Location of Proposed Topsoil Stripping and Topsoil Stockpiles158
Figure 2-66:	Proposed Powerline Relocation
Figure 2-67:	Proposed Planting Within and in Close Proximity to Area 6
Figure 2-68:	Indicative NRS Closure Plan (EGL (2025d))
Figure 2-69:	TSF3 Site Overview
Figure 2-70:	Indicative TSF3 Layout Plan (EGL (2025c))
Figure 2-71:	Typical Cross Section of TSF3 (EGL (2025c))172
Figure 2-72:	Vegetation Clearance Within and Surrounding SNA 166 (Bioresearches (2025a))
Figure 2-73:	TSF3 Drainage Diversion Works (Source: EGL (2025c))

Figure 2-74:	Ruahorehore Stream Catchment and Proposed Stream Diversion (GHD 2025d)	. 179
Figure 2-75:	Concept Plan of TSF3 Starter Embankment to 135 m RL (EGL (2025c)	. 182
Figure 2-76:	Concept Plan of TSF3 Interim Embankment to 145 m RL (EGL (2025c)	. 183
Figure 2-77:	TSF3 RL 155 Closure Layout (EGL (2025c))	. 185
Figure 2-78:	Proposed Baxter Road Road-Stopping (in red)	. 187
Figure 2-79:	Proposed Planting Within and in Close Proximity to Area 7	. 188
Figure 2-80:	Proposed Car Parking at Kenny Street	. 190
Figure 2-81:	The Area within which the Waihi North Biodiversity Project will be Established	. 193
Figure 3-1:	Wharekirauponga Drilling Programme Locations	. 196
Figure 3-2:	Existing Authorised Mining Activities within Area 5	. 199
Figure 3-3:	Existing authorised mining activities within Area 6	. 205
Figure 3-4:	Existing Authorised Mining Activities Within Area 7	. 209
Figure 3-5:	Areas of Land Covered by Rule 5.17.4.1(P1) (expired ML 32 2388) (blue) a Rule 5.17.4.1(P2) (expired LUC 97/98-10 (yellow)	
Figure 3-6:	Area of TSF1A Covered by LUSE 202.2021.00001466.01 Which Authorise Establishment and Operation of TSF1A up to a height of 182 m RL (area with pink dashed line)	ithin
Figure 3-7:	Hauraki District Plan and Thames Coromandel District Plan Surface Zoni of the Wharekirauponga Orebody and Area 1	•
Figure 3-8:	Hauraki District Plan Zoning of Area 2	. 215
Figure 3-9:	Hauraki District Plan Zoning of Area 3	. 217
Figure 3-10:	Hauraki District Plan Zoning of Area 5	. 219
Figure 3-11:	Hauraki District Plan Zoning of Area 6	. 220
Figure 3-12:	Hauraki District Plan Zoning of Area 7	. 221
Figure 3-13:	Highly Productive Land Within Area 2	. 223

Figure 3-14:	Highly Productive Land Within Area 32	224
Figure 3-15:	Highly Productive Land Within Area 52	225
Figure 3-16:	Highly Productive Land Within Area 7	226
Figure 3-17:	Area 1 and Surrounding Area Land Tenure	230
Figure 3-18:	Area 2 and Surrounding Area Land Tenure	231
Figure 3-19:	Area 3 and Surrounding Area Land Tenure – Northern End	232
Figure 3-20:	Area 3 and Surrounding Area Land Tenure – Southern End	233
Figure 3-21:	Area 5 and Surrounding Area Land Tenure	234
Figure 3-22:	Area 6 and Surrounding Area Land Tenure	235
Figure 3-23:	Area 7 and Surrounding Area Land Tenure	236
Figure 3-24:	Sectional Geology Through Wharekirauponga (WSP 2025a)	238
Figure 3-25:	Surface Geology of the Wharekirauponga Area (WSP 2025a)	239
Figure 3-26:	Geological Profile along the Wharekirauponga Access Tunnel (Approximate Tunnel Alignment Shown in Blue) (WWLA (2025c))	
Figure 3-27:	GOP West-East Cross-Section (GHD 2025d)	243
Figure 3-28:	NRS Geology - East-West Cross-section. Rhyolite (orange), Dacite (light purple), Ignimbrite (grey), Andesite (light pink) (GHD 2025d)	244
Figure 3-29:	Regional geological setting in which TSF3 sits (GHD, 2025d)	245
Figure 3-30:	Northeast-southwest cross section of paleo-gully beneath the TSF3 site (GHD, 2025d)	246
Figure 3-31:	Wharekirauponga Stream Sub-Catchment Area (Looking Southwest)2	247
Figure 3-32:	Wharekirauponga Stream Sub-Catchment and Long Term Flow Gauging Stations (squares are 1 km2)	248
Figure 3-33:	Conceptual Model of Wharekirauponga Hydrology, Including Small Springs in Tributary Headwaters	
Figure 3-34:	Mataura Stream Sub-Catchment and Location of Proposed Willows Portal (GHD 2025c)	

Figure 3-35:	Surface Waterbodies and Monitoring Locations Around Areas 5, 6,	
	and 7	253
Figure 3-36:	Location of Gladstone Wetland Tributaries	254
Figure 3-37:	Alignment of TB1	256
Figure 3-38:	Localised View of Waterbodies Within Area 7 (GHD 2025d)	258
Figure 3-39:	Generalised hydrogeologic section of the Wharekirauponga epithermal go	
Figure 3-40:	Shallow Groundwater System Piezometric Surface at Wharekirauponga (WWLA 2025a)	260
Figure 3-41:	Deep groundwater system piezometric surface at Wharekirauponga (WWI 2025a)	
Figure 3-42:	Willows SFA Groundwater Monitoring Locations and Interpreted Piezomet Contours (GHD 2025b)	
Figure 3-43:	Willows SFA West-East Conceptual Cross-Section (WWLA 2025c)	263
Figure 3-44:	Conceptual Hydrogeologic Model for the Wharekirauponga Access Tunnel	264
Figure 3-45:	Area 7 Groundwater System (GHD 2025d)	265
Figure 3-46:	Main Stem of the Wharekirauponga Stream	266
Figure 3-47:	Northern (left) and Southern Teawaotemutu Streams	267
Figure 3-48:	Thompson Stream (left) and 'R' Tributary	267
Figure 3-49:	Warm Spring Emergence (left) and Discharge to the Wharekirauponga Stream	269
Figure 3-50:	Mataura Stream During High Flow	270
Figure 3-51:	Tributary 2 Impacted by the WRS	270
Figure 3-52:	Tributary 2 Reach with Grazed Margins on Both Sides of the Stream	271
Figure 3-53:	Perched Culvert on Tributary 2	271
Figure 3-54:	Tributary 2 Within a Pocket of Riparian Vegetation Near its Upstream  Extent	272

Figure 3-55:	Aquatic Ecology of Area 6	275
Figure 3-56:	Aquatic Ecology of Area 7	276
Figure 3-57:	Ruahorehore Tributary within the Proposed TSF3 Footprint	277
Figure 3-58:	Ruahorehore Stream Near Proposed TSF3	278
Figure 3-59:	Pasture and riparian vegetation at Willows Road Farm	283
Figure 3-60:	Voluntary Replanting Around the Waihi SFA	286
Figure 3-61:	Native Lizard Survey Records	288
Figure 3-62:	Ecology of the Gladstone Wetland and its Tributaries	289
Figure 3-63:	Significant Natural Areas in the Vicinity of the Waihi SFA	291
Figure 3-64:	Te Wharekirauponga Track View	293
Figure 3-65:	Archaeological and Heritage Features Within Area 2	297
Figure 3-66:	Mataura Stream Water Race remnants	298
Figure 3-67:	Archaeological and Heritage Features Within the Vicinity of the Southern end of Area 3 (northern four features shown)	
Figure 3-68:	Archaeological and Heritage Features in Close Proximity to Area 5	301
Figure 3-69:	Hauraki District Plan Map K4 – Archaeological and Heritage Features in t	
Figure 3-70:	Archaeological and Heritage Features in Close Proximity to Area 6 (yellowdot)	
Figure 3-71:	Formal Walking Tracks Around the Wharekirauponga Valley	305
Figure 3-72:	Trail Map for Mountain Bike Traits in the Vicinity of GOP and the Waihi SFA	306
Figure 3-73:	Blackhill Motocross Track (with the Processing Plant to the north-west) .	307
Figure 3-74:	Mean noise levels at OGNZL's compliance monitoring sites, 2011 – 2020 (Marshall Day 2025)	
Figure 3-75:	Waihi Road Network Layout	316
Figure 3-76:	Otahu Ecological Area	318

Figure 6-1:	OGNZL's Contribution to Employment at Waihi	. 379
Figure 6-2:	Geographic Spread of Waihi Mining Income Spend	. 380
Figure 6-3:	WNP Water Management Schematic	. 386
Figure 6-4:	WUG Potential Drawdown Contours in the Near Surface (WWLA (2025a))	. 393
Figure 6-5:	Extent of Potential Drawdown Effects in Section (WWLA (2025a))	. 393
Figure 6-6:	Surface Exposure of Rhyolite Rocks	. 394
Figure 6-7:	Model Section Showing Potential for Shallow – Deep Groundwater  Connectivity (WWLA, 2025a)	. 395
Figure 6-8:	Heat Map Showing % Effect on MALF (5th Percentile Model Result (GHD (2025e))	. 397
Figure 6-9:	Location of Area of Potential Effect	. 398
Figure 6-10:	Locations of Wetlands with Groundwater Inputs	. 401
Figure 6-11:	Wharekirauponga Pest Management Area	. 426
Figure 6-12:	Possible Vibration Monitoring Sites for the GOP (red circles)	. 498
Figure 6-13:	Possible Vibration Monitoring Sites for the Borrow Areas (red circles)	. 498
Figure 6-14:	Possible Vibration Monitoring Sites for the Wharekirauponga Access  Tunnel	. 499
Figure 6-15:	Moresby Avenue and Baxter Road Facilities – Workforce Forecasts (include Project Martha) (Stantec (2025))	_
Figure 6-16:	Proposed Rehabilitation and Closure Concept for Area 2	. 536
Figure 6-17:	Proposed Rehabilitation and Closure Concept for the Waihi Based Areas	. 537
Figure 8-1:	Location of Water Bodies Affected by the WNP in the Waihi Area	. 586
Figure 8 2:	Proposed Northern Concession Area and Wharekirauponga Access  Arrangement Area	. 655
Figure 8-3:	Proposed Willows Concession Area – Southern Coromandel Forest Park and Mataura Stream	. 656
Figure 8-4:	Proposed Northern Concession Area – GPS Corner Points	. 657

Figure 8-5:	Proposed Willows Concession Area – GPS Centre Points	58
Figure 8-6:	Area of Mining Permit 60541 (Wharekirauponga)6	78
Figure 8-7:	Area of Mining Permit 41808 (Favona)6	78
Figure 8-8:	Proposed Wharekirauponga Access Arrangement Area - GPS Corner  Points	79
Figure 8-9:	Existing Favona Access Arrangement Area – Martha Mine	80
Figure 8-10:	Proposed Variation to Favona Access Arrangement Area – Ohinemuri  River	81
Figure 8-11:	Proposed Variation to Favona Access Arrangement Area – Ohinemuri 68	82
Figure 8-12:	Proposed Variation to Favona Access Arrangement Area – Ohinemuri River  & Ohinemuri (GPS Centre Coordinates)	83
Figure 8-13:	Proposed Variation to Favona Access Arrangement Area – Baxter Road  (GPS Centre Coordinate)	84
Figure 8-14:	Proposed Variation to Favona Access Arrangement Area – Ohinemuri River Discharge Structure (Centre GPS Coordinates)	85
LIST OF T	ABLES	
Table 1-1: Wa	ihi North Project Management Plans19	9
Table 1-2: Tec	chnical Reports Prepared by Technical Specialists on the Project26	6
Table 2-1: Ant	ticipated Sequencing of the Waihi North Project Activities33	3
Table 2-2: Are	ea 1 Existing and Proposed Vegetation Clearance and Disturbance	9
	cation of Proposed Historic Workings from which Groundwater will be stracted	5
Table 2-4: Ha	zardous Substance Volumes and Classifications8	1
Table 2-5: Act	rive Drill Site Hazardous Substances83	3
Table 2-6:Haz	zardous Substance Volumes and Classifications in Area 2	03
Table 2-7: Ha	zardous Substance Volumes and Classifications in Area 514	42

Table 2-8: Hazardous substance volumes and classifications in Area 6	163
Table 3-1: How the Use of Land for Each Existing Element Within Area 5 is Authorised	200
Table 3-3: Existing WRC Resource Consents for Activities at Area 5	202
Table 3-4: Existing WRC Consents Which Authorise Activities in Area 6	206
Table 3-5: Surface Water Flows (L/s) Measured at Key Points in the Wharekirauponga Stream Sub-Catchment (GHD 2025c)	250
Table 6-1:Ecological Effects Summary	457
Table 6-2: WNP construction activities, as defined by Marshall Day (2025)	485
Table 6-3: Summary of Proposed Blast Vibration Conditions	494
Table 6-4: Significance of Social Impacts Pre and Post implementation of Mitigation  Measures Proposed for the WNP	527
Table 7-1: Summary of Key Management and Monitoring Measures for the WNP	541