





## DRURY TOWN CENTRE STAGE 2

DRAWINGS ISSUED FOR FAST TRACK CONSENT


**AUCKLAND COUNCIL** 

## WOODS Est-1970

# DRURY CENTRE STAGE 2 FOR FAST TRACK CONSENT

**CONTENTS INDEX** 

DRAWING INDEX							
DRAWING NUMBER DRAWING TITLE							
DRURY (	CENTRE STAGE 2						
P24-447-01-0000-GE	INDEX & LOCALITY PLAN						
P24-447-02-0010-SC TO P24-447-02-0021-SC	SCHEME PLAN						
P24-447-01-0010-GE	SITE FEATURES PLAN						
P24-447-01-1100-GE TO P24-447-01-1107-GE	PROPOSED CONTOUR PLAN AND CROSS SECTIONS						
P24-447-01-1120-EW	CONSENTED EARTHWORKS PLAN						
P24-447 01-1150-DR TO P24-447 01-1151-DR	STREAM REALIGNMENT PLAN						
P24-447 01-1160-DR TO P24-447 01-1161-DR	STREAM WORKS CROSS SECTIONS						
P24-447 01-1200-EW	CUT FILL PLAN						
P24-447-01-1400-EW	PROPOSED RETAINING WALL PLAN						
P24-447-01-1850-EW TO P24-447-01-1862-EW	EROSION & SEDIMENT CONTROL PLAN						
P24-447-01-2000-RD TO P24-447-01-2004-RD	ROADING LAYOUT PLANS						
P24-447-01-2030-RD	ROAD HIERARCHY PLAN						
P24-447-01-2040-RD	TRANSPORT NETWORK PLAN						
P24-447-01-2050-RD TO P24-447-01-2053-RD	ROADING INTERSECTION DETAILS						
P24-447-01-2200-RD TO P24-447-01-2204-RD	TYPICAL ROAD CROSS SECTIONS						
P24-447-01-2500-RD TO P24-447-01-2514-RD	ROADING LONGITUDINAL SECTIONS						
P24-447-01-2810-RD	TYPICAL RAISED PEDESTRIAN CROSSING DETAIL						
P24-447-01-2830-RD	BUS BAY DETAIL						
P24-447-01-2850-RD TO P24-447-01-2859-RD	AT TDM DETAILS						
P24-447-01-3000-DR TO P24-447-01-3004-DR	STORMWATER LAYOUT PLAN						
P24-447-01-3102-DR TO P24-447-01-3103-DR	STORMWATER CATCHMENT LAYOUT PLAN						
P24-447-01-3500-DR TO P24-447-01-3518-DR	STORMWATER LONGSECTION						
P24-447-01-3600-DR TO P24-447-01-3606-DR	WETLAND DETAILS						
P24-447-01-3650-DR	CULVERT DETAILS						
P24-447-01-4000-DR TO P24-447-01-4004-DR	WASTEWATER LAYOUT PLAN						
P24-447-01-4500-DR TO P24-447-01-4503-DR	WASTEWATER LONGSECTION						
P24-447-01-4700-DR TO P24-447-01-4704-DR	WASTEWATER CATCHMENT PLAN						
P24-447-01-6000-DR TO P24-447-01-6006-DR	WATER RETICULATION LAYOUT PLAN						
DRURY CE	NTRE SUPERLOTS						
P24-646-01-2000-RD TO P24-646-01-2004-RD	ROADING LAYOUT PLAN						
P24-646-01-2200-RD TO P24-646-01-2201-RD	TYPICAL JOAL CROSS SECTION						
P24-646-01-3000-DR TO P24-646-01-3004-DR	STORMWATER LAYOUT PLAN						
P24-646-01-4000-DR TO P24-646-01-4004-DR	WASTEWATER LAYOUT PLAN						
P24-646-01-6000-RD TO P24-646-01-6004-RD	WATER RETICULATION LAYOUT PLAN						



LOCALITY PLAN

NOT TO SCALE

RE'	VISION DETAILS	INT	DATE	SURVEYED	
4	FOR S67 RESPONSE	RO	17/07/2025	DESIGNED	EW
9	FOR S67 RESPONSE	SM	23/07/2025	DRAWN	EW
10	FOR S67 RESPONSE	RO	15/08/2025	CHECKED	GW
11	FOR S67 RESPONSE	MF-E	17/09/2025	APPROVED	GW
10 11			-,,	CHECKED	



BUILDING B, LEVEL 1
8 NUGENT ST, GRAFTON,
AUCKLAND 1023
+64 9 308 9229

WOODS CO NZ




DRURY CENTRE-STAGE 2


**CONTENTS INDEX** 


STATUS	FOR S67 RESPONSE	REV
SCALE	N.T.S	11
COUNCIL	AUCKLAND COUNCIL	11
DWG NO	P24-447-01-0000-GE	


Plot Date: 2:23:50 pm,17 S


S\01 ENG\P24-447-01-0000-GE\_LOCALITY &INDEX PLAN.DWG

















SCHEDULE OF EXISTING AREAS TITLE AREA LEGAL DESCRIPTION IDENTIFIER (m<sup>2</sup>)LOT 1042 (CREATED BY STAGE 2.4.2)

EXISITING AMALGAMATION CONDTION TO BE CANCELLED
THAT LOTS 502, 514 (CREATED BY STAGE 2.2), LOT 503 (CREATED BY 2.3), LOTS 508 LOT
1042 (CREATED BY STAGE 2.4.2) HELD IN SAME RECORD OF TITLE SHALL BE CANCELLED

AMALGAMATION CONDITIONS
THAT LOTS 502, 514 (CREATED BY STAGE 2.2), LOT 503 (CREATED BY 2.3), LOT 508 (CREATED BY STAGE 2.4.2) AND LOT 1043 HEREON TO BE HELD IN THE SAME RECORD OF TITLE

SCHEDULE OF AREAS STAGE 4.3									
APPELLATION	TYPE	1010 1496							
LOT 43	FEE SIMPLE LOT								
LOT 517	ROAD TO VEST								
LOT 1043	BALANCE LOT	102636							
	TOTAL	105146							
AREAS & DIMENSIONS ARE SUBJECT TO FINAL SURVEY									



SHEET 7 OF 14

THIS PLAN HAS BEEN PREPARED FOR RESOURCE CONSENT ONLY.

 AREAS & DIMENSIONS ARE SUBJECT TO FINAL SURVEY.
 AREAS & DIMENSIONS ARE SUBJECT TO FINAL SURVEY. ADDITIONAL EASEMENTS FOR PRIVATE SERVICES MAY BE 3. ADDITIONAL EASEMENTS FOR PRIVATE SERVICES MAY BE REQUIRED FOLLOWING DETAILED DESIGN. ANY FUTURE EASEMENTS ARE TO BE INCLUDED IN THE LAND TRANSFER PLAN IN A SCHEDULE OF EASEMENTS.

4. SCHEME COMPRISES OF 1086811, NA37B/102, NA40C/357, NA99D/320, NA9B/644 NA57B/1238 AND TBC (LOT 200 FROM NASCE).

- NA99D/320, NA98/644 NA5/B/1238 AND IBC (LOT 200 FROM STAGE 1)

  5. NA99D/313 AND NA12B/136 ARE THE ONLY TITLES WITH INTERESTS.

  6. LOT 10 DP 165262 IS UNDER AMALGAMATION CONDITON AND HELD AS SIX UNDIVIDED SHARES BY LOTS 1-6 DP 165262.

  7. AREA B DP 165262 IS SUBJECT TO \$243(a) of RMA THEREFORE

- REQUIRES TERRITORIAL WRITTEN CONSENT FOR CANCELLATION

  SEPLANADE RESSREVE CALCULATED AS A 20m OFFSET FROM

  WATER BOUNDARY. SUBJECT TO CHANGE AFTER FINAL SURVEY

  FINAL LOCATION OF DRAINAGE AND ESPLANADE RESERVE

  SUBJECT TO COUNICL APPROVAL

  10. SCHEDULE OF EXISTING AREAS SHOWN ON COVER PAGE

  11. THIS PLAN HAS BEEN CREATED WITH THE ASSUMPTION THAT


  THE ROAD TO BE CONSTRUCTED BY NZTA HAS BEEN FULLY
  CONTRUSTED AND GAZZETTED. SEE CONSENT APPLICATION


  "BUN60423831" FOR INFORMATION
- "BUNGO423831" FOR INFORMATION

  12. MANAGEMENT AND OWNERSHIP OF ALL ACCESS LOT IS TO BE DETERMINED PRIOR TO THE APPROVAL OF THIS CURRENT CONSENT APPLICATION.

  13. SITE BOUNDARY EXTENT PART EXTRACTED FROM LANDONLINE AND PART FROM SUBGO414913
- 14. APPURTENANT EASEMENTS NOT BENEFITING THE LOT TO BE SURRENDED

JUSCLAIMMEN:
THIS CAD DRAWING IS INTENDED TO BE SOLELY USED AS THE BASE DATA FOR THE
PURPOSES OF THE CLIENT. WOODS ACCEPT NO RESPONSIBILITY FOR ANY SUBSEQL
CHANGES MADE TO THIS DRAWING FILE, THAT ARE DIFFERENT TO THOSE ATTACH
THE POF FORMATTED VERSION SHOWN IN OUR ELECTRONIC CORRESPONDENCE.








#### **DRURY CENTRE-STAGE 2**


STAGE 2 - SCHEME PLAN STAGE 2.4.3 LOT 1042 (CREATED BY STAGE 2.4.2, DRAWING No. P24-447-02-0024- SC)


	STATUS	ISSUED FOR s67 RESPONSE	REV
	SCALE	AS SHOWN	11
N )	COUNCIL	AUCKLAND COUNCIL	11
	DWG NO	P24-447-02-0034-SC	


























LEG	E١	1D
-----	----	----

EXISTING SURFACE

**EXISTING SURFACE INCLUDING STAGE 1 EW** 

PROPOSED SURFACE




olot Date: 11:35:09 am,17 Septe



#### **EARTHWORKS CROSS SECTIONS A-A**

HORZ 1:1000 VERT 1:1000



#### **EARTHWORKS CROSS SECTIONS A-A**

HORZ 1:1000 VERT 1:1000

RE	VISION DETAILS	INT	DATE	SURVEYED	
6	FOR S67 RESPONSE	RO	17/07/25	DESIGNED	JK
9	FOR S67 RESPONSE	MK	23/07/25	DRAWN	EW
10	ISSUED FOR S67 RESPONSE	RO	15/08/25	CHECKED	GW
11	ISSUED FOR S67 RESPONSE	MF-E	17/09/25	APPROVED	GW




BUILDING B, LEVEL 1
8 NUGENT ST, GRAFTON,
AUCKLAND 1023
+64 9 308 9229

WOODS.CO.NZ



EARTHWORKS LONGSECTION A-A

STATUS	FOR S67 RESPONSE	REV
SCALE	1:1000 @ A3	11
COUNCIL	AUCKLAND COUNCIL	11
DWG NO	P24-447-01-1102-EW	/



**EARTHWORKS CROSS SECTIONS B-B** HORZ 1:1000 VERT 1:1000

																			-		=
Horizontal Curve Length (m)																					
Vertical Geometry K value/Grade (%) Vertical Grade/ Curve Length (m)  DATUM R.L. = -22.00		0.19 110	>	4.37% 10 m	-0.94% 10 m	2.97% 10 m	7.24% 10 m	2.24% 10 m	<	1.95% 30 m	>	2.66% 10 m	<	2.81% 40 m		>	2.2% 10 m	<	3.3% 35.28 m		->
EXISTING SURFACE	16.45	17.27	18.45	19.66	20.45	21.06	21.43	21.94	22.39	22.99	23.65	23.90	23.87	24.04	24.45	24.78	25.19	25.59	25.73	26.05	26.26
CUT / FILL DEPTH	4.56	3.75	2.57	1.81	0.92	09.0	96.0	89.0	0.42	0.01	-0.45	-0.43	-0.12	-0.02	-0.14	-0.19	-0.38	-0.45	-0.26	-0.24	-0.29
CL DESIGN LEVELS	21.01	21.02	21.03	21.46	21.37	21.67	22.39	22.62	22.81	23.01	23.20	23.47	23.75	24.03	24.31	24.59	24.81	25.14	25.47	25.80	25.98
CHAINAGE	310.00	320.00	330.00	340.00	350.00	360.00	370.00	380.00	390.00	400.00	410.00	420.00	430.00	440.00	450.00	460.00	470.00	480.00	490.00	500.00	505.28

#### **EARTHWORKS CROSS SECTIONS B-B**

HORZ 1:1000 VERT 1:1000

RE	VISION DETAILS	INT	DATE	SURVEYED	
6	FOR S67 RESPONSE	RO	17/07/25	DESIGNED	JK
9	FOR S67 RESPONSE	MK	23/07/25	DRAWN	EW
10	ISSUED FOR S67 RESPONSE	RO	15/08/25	CHECKED	GW
11	ISSUED FOR S67 RESPONSE	MF-E	17/09/25	APPROVED	GW



BUILDING B, LEVEL 1
8 NUGENT ST, GRAFTON,
AUCKLAND 1023
+64 9 308 9229

WOODS.CO.NZ



#### DRURY CENTRE-STAGE 2

STATUS	FOR S67 RESPONSE	REV
SCALE	1:1000 @ A3	11
COUNCIL	AUCKLAND COUNCIL	11
DWG NO	P24-447-01-1103-EW	,

WOODS

LE	G	Ε	Ν	D
----	---	---	---	---

EXISTING SURFACE

EXISTING SURFACE INCLUDING STAGE 1 EW

PROPOSED SURFACE



									_																	
Horizontal Curve Length (m)																										
Vertical Geometry K value/Grade (%)	6.16%25.54%0.54% 0.23	% 0.94%	1.44%	1.59%	2.85%	1.93%21.	16%5.01%0.78%	%2.12%1.5°	1%63.23 <b>%</b> 1.0	5 <b>%</b> .83 <b>%</b> 5.79 <b>3</b> 0.9	91%4.77%9.55	Val.17 <b>2</b> /5.711/7.2	2722.05%1.95%	0.25%0.75%1.8	86%3.51% 6%	-6% 6.01%	3.53 <b>2/</b> 1.36 <b>%</b> 6.1	14%3.5132.94	1 <b>%</b> 9.95 <b>3</b> 1.82	2 <b>%</b> 5.45 <b>%</b> 1.25	5%1.01%0.09%2	2.91%1.67%	% 2%19.58 <b>%</b> .3	1%0.51%0.51	1%0.52%0.52°	0.52%0.52%
Vertical Grade/ Curve Length (m)	5 m 5 m 5 m 15 n		30 m	5 m	15 m	5 m 5	m 5 m 5 m	5 m 5 r	m 5 m 5 n	n 5 m 5 m 5	m 5 m 5 m	5 m 5 m 5	m 5 m 5 m	5 m 5 m 5	5 m 5 m 5 m	5 m 5 m	5 m 5 m 5	m 5 m 5 m	5 m 5 m	n 5 m 5 m	n 5 m 5 m	5 m 5 m	5 m 5 m 5	m 5 m 5 n	n 5 m 5 m	5 m 60 m
DATUM R.L. = -30.00																										
EXISTING SURFACE	10.50	12.23	12.26	13.31	14.09	14.36	13.73	12.26	9.29	9.10	10.26	10.83	11.25	11.53	11.71	12.09	12.22	12.40	12.58	12.32	12.29	13.04	13.57	14.05	14.24	14.35
CUT / FILL DEPTH	0.89	0.21	0.44	-0.32	-0.81	-0.85	-1.52	0.09	-0.02	-0.44	1.24	-1.42	-0.87	-1.07	-1.19	-1.45	44.	-0.13	2.33	4.96	6.10	5.70		5.97	5.89	5.83
CL DESIGN LEVELS	11.87	12.43	12.70	12.99	13.28	13.52	12.21	12.35	9.27	8.66	11.49	9.41	10.37	10.46	10.52	10.64	10.78	12.26	14.91	17.27	18.39	18.74	18.93	20.02	20.07	
CHAINAGE	10.00	30.00	50.00		80.00	90.00	100.00	110.00	120.00	130.00	140.00	160.00	170.00	180.00	190.00	210.00	220.00	230.00	240.00	250.00	260.00	270.00	280.00	300.00	310.00	320.00

#### EARTHWORKS CROSS SECTIONS C-C

HORZ 1:1000 VERT 1:1000

																							_			
Horizontal Curve Length (m)																										
Vertical Geometry K value/Grade (%)	0.52%			0.52%			0.48%2	2.52%3.42%3	3.01%1.77%	1.96%7.86%			0.18	%		0.19%	,				0.1	9%				
Vertical Grade/ Curve Length (m)	5 n5 m			60 m			5 m	5 m 5 m	5 m 5 m	5 m 5 m			60 r	m		5 m					96.9	93 m				
DATUM R.L. = -24.00																										
EXISTING SURFACE	14.24	14.43	14.56	14.72	14.87	14.99	15.10	15.29	15.55	16.27	16.57	16.30	16.04	16.18	16.56	16.81	17.03	17.10	17.26	17.10	17.37	17.48	17.60	17.71	17.90	18.10
CUT / FILL DEPTH	5.89	5.80	5.72	5.62	5.52	5.45	5.40	9.00	5.67	4.66	4.38	4.66	4.94	4.82	4.46	4.23	4.02	3.97	3.83	4.01	3.77	3.68	3.57	3.48	3.31	3.13
CL DESIGN LEVELS	20.13	20.23	20.28	20.34	20.39	20.44	20.49	21.29	21.23		20.95	20.97	20.98	21.00	21.02	21.04	21.06	21.08	21.10	21.11	21.13	21.15	21.17	21.19	21.21	21.23
CHAINAGE	370.00	330.00	340.00	350.00	360.00	370.00	380.00	390.00	400.00	410.00	420.00	430.00	440.00	450.00	460.00	470.00	480.00	490.00	500.00	510.00	520.00	530.00	540.00	550.00	560.00	570.00

#### EARTHWORKS CROSS SECTIONS C-C

HORZ 1:1000 VERT 1:1000

RE	VISION DETAILS	INT	DATE	SURVEYED	
6	FOR S67 RESPONSE	RO	17/07/25	DESIGNED	JK
9	FOR S67 RESPONSE	MK	23/07/25	DRAWN	EW
10	ISSUED FOR S67 RESPONSE	RO	15/08/25	CHECKED	GW
11	ISSUED FOR S67 RESPONSE	MF-E	17/09/25	APPROVED	GW



BUILDING B, LEVEL 1
8 NUGENT ST, GRAFTON,
AUCKLAND 1023
+64 9 308 9229

WOODS.CO.NZ



F	ARTHWORKS	CROSS	SECTION	C-C
L	-AIVIIIVVOINIS	CINOSS	SECTION	C-C

STATUS	FOR S67 RESPONSE	REV
SCALE	1:1000 @ A3	11
COUNCIL	AUCKLAND COUNCIL	11
DWG NO	P24-447-01-1104-EW	<b>/</b>

LEGEND	
EXISTING SURFACE	
EXISTING SURFACE INCLUDING STAGE 1 EW	
PROPOSED SURFACE	



Horizontal Curve Length (m)																			
Vertical Geometry K value/Grade (%)		9.58%	23.73%	3.46%	21.36%	7.25%	0.19%	0.17%	0.21%_	_		0.47%			-4.51%	1.41%	1.68%	0.76%	0.48%
Vertical Grade/ Curve Length (m)	Ī	10 m	10 m	10 m	10 m	10 m	10 m	10 m	10 m			50 m			10 m	10 m	10 m	10 m	9.05 m
DATUM R.L. = -26.00																			
EXISTING SURFACE	12.31	14.44	15.92	17.28	19.18	21.15	22.10	22.85	23.88	23.92	24.31	24.75	25.02	25.21	25.37	25.37	25.27	25.04	24.43
CUT / FILL DEPTH	0.85	-0.33	0.56	-0.45	-0.21	-1.46	-2.38	-3.12	4.13	4.12	-4.46	4.86	-5.08	-5.22	-5.83	-5.69	-5.43	-5.12	-4.47
CL DESIGN LEVELS	13.16	14.11	16.49	16.83	18.97	19.69	19.71	19.73	19.75	19.80	19.85	19.89	19.94	19.99	19.54		19.85	19.92	
CHAINAGE	0.00	10.00	20.00	30.00	40.00	50.00	00:09	70.00	80.00	90.00	100.00	110.00	120.00	130.00	140.00	150.00	160.00	170.00	179.05

EARTHWORKS CROSS SECTIONS D-D HORZ 1:1000 VERT 1:1000

RE\	/ISION DETAILS	INT	DATE	SURVEYED	
6	FOR S67 RESPONSE	RO	17/07/25	DESIGNED	JK
9	FOR S67 RESPONSE	MK	23/07/25	DRAWN	EW
10	ISSUED FOR S67 RESPONSE	RO	15/08/25	CHECKED	GW
11	ISSUED FOR S67 RESPONSE	MF-E	17/09/25	APPROVED	GW



DRURY CENTRE-STAGE 2 EARTHWORKS CROSS SECTION D-D

STATUS	FOR S67 RESPONSE	REV
SCALE	1:1000 @ A3	11
COUNCIL	AUCKLAND COUNCIL	11
DWG NO	P24-447-01-1105-EV	٧


LEGEND		L	E	G	Ε	١	1	C
--------	--	---	---	---	---	---	---	---

EXISTING SURFACE

EXISTING SURFACE INCLUDING STAGE 1 EW

PROPOSED SURFACE





#### EARTHWORKS CROSS SECTIONS E-E

HORZ 1:1000 VERT 1:1000

RE'	VISION DETAILS	INT	DATE	SURVEYED	
6	FOR S67 RESPONSE	RO	17/07/25	DESIGNED	JK
9	FOR S67 RESPONSE	MK	23/07/25	DRAWN	EW
10	ISSUED FOR S67 RESPONSE	RO	15/08/25	CHECKED	GW
11	ISSUED FOR S67 RESPONSE	MF-E	17/09/25	APPROVED	GW







DRURY CENTRE-STAC	3E 2

			ı.
STATUS	FOR S67 RESPONSE	REV	
SCALE	1:1000 @ A3	4.4	1
COUNCIL	AUCKLAND COUNCIL	11	
DWG NO	P24-447-01-1106-EW	/	

LEGEND	
EXISTING SURFACE	
EXISTING SURFACE INCLUDING STAGE 1 EW	
PROPOSED SURFACE	





#### **EARTHWORKS CROSS SECTIONS E-E**

HORZ 1:1000 VERT 1:1000

Horizontal Curve Length (m)																							
Vertical Geometry K value/Grade (%)	-3.0	1%3.06%	-2.94%			-3°	%		-	-1.94%	2.8%	3.07%	2.93%	_ 3%	3.64%	0.04%	-2.96%	0.88%	_		1.34%		
Vertical Grade/ Curve Length (m)	10	m 10 m	10 m			60	m			10 m			47.69 m										
DATUM R.L. = -32.00																							
EXISTING SURFACE	13.87	11.98	9.61	7.47	9.65	12.20	14.07	14.24	12.82	11.35	10.49	9.93	9.75	10.09	10.50	11.01	11.51	12.27	13.06	13.88	14.20	14.30	14.42
CUT / FILL DEPTH	0.64	2.23	4.31	6.15	3.67	0.82	-1.35	-1.82	-0.70	0.57	1.7.1	2.58	3.05	3.01	2.97	2.47	1.67	0.99	0.34	-0.34	-0.53	-0.50	-0.52
CL DESIGN LEVELS	14.52	14.21	13.92	13.	13.32	13.02	12.72	12.42	12.12	11.92	12.20		12.80	13.10	13.47	13.47	13.17	13.26	13.40	13.53	13.67	13.80	13.90
CHAINAGE	310.00	320.00	330.00	340.00	350.00	360.00	370.00	380.00	390.00	400.00	410.00	420.00	430.00	440.00	450.00	460.00	470.00	480.00	490.00	500.00	510.00	520.00	527.69

#### **EARTHWORKS CROSS SECTIONS E-E**

HORZ 1:1000 VERT 1:1000

REVISION DETAILS			INT	DATE	SURVEYED	
	6	FOR S67 RESPONSE	RO	17/07/25	DESIGNED	JK
	9	FOR S67 RESPONSE	MK	23/07/25	DRAWN	EW
	10	ISSUED FOR S67 RESPONSE	RO	15/08/25	CHECKED	GW
	11	ISSUED FOR S67 RESPONSE	MF-E	17/09/25	APPROVED	GW




BUILDING B, LEVEL 1
8 NUGENT ST, GRAFTON,
AUCKLAND 1023
+64 9 308 9229


WOODS.CO.NZ



EARTHWORKS	CROSS	SECTION	F-F

STATUS	FOR S67 RESPONSE	REV
SCALE	1:1000 @ A3	11
COUNCIL	AUCKLAND COUNCIL	11
DWG NO	P24-447-01-1107-EW	/





EW

EW

GW

CD

5 FOR S67 RESPONSE

9 FOR S67 RESPONSE

10 FOR S67 RESPONSE

11 ISSUED FOR S67 RESPONSE

RO

SM

RO

MF-E

17/07/25

23/07/25

15/08/25

17/09/25

DESIGNED

DRAWN

CHECKED

APPROVED

BUILDING B, LEVEL 1 8 NUGENT ST, GRAFTON, AUCKLAND 1023 +64 9 308 9229 WOODS.CO.NZ




DRURY CENTRE-STAGE 2


STREAM WORKS


OVERALL LAYOUT PLAN

	1 -
	S
$\overline{N}$	C
	D

STATUS	FOR S67 RESPONSE	REV
SCALE	1:3000 @ A3	11
COUNCIL	AUCKLAND COUNCIL	
DWG NO	P24-447-01-1150-DR	{









RE'	VISION DETAILS	INT	DATE	SURVEYED	
5	FOR S67 RESPONSE	RO	17/07/25	DESIGNED	EW
9	FOR S67 RESPONSE	SM	23/07/25	DRAWN	EW
10	FOR S67 RESPONSE	RO	15/08/25	CHECKED	GW
11	ISSUED FOR S67 RESPONSE	MF-E	17/09/25	APPROVED	CD



BUILDING B, LEVEL 1
8 NUGENT ST, GRAFTON,
AUCKLAND 1023
+64 9 308 9229

WOODS.CO.NZ



STREAM WORKS
CROSS SECTION C-C

	STATUS	FOR S67 RESPONSE	REV
	SCALE	1:250 @ A3	11
	COUNCIL	AUCKLAND COUNCIL	
	DWG NO	wg NO P24-447-01-1161-DR	

