

- NOTES
1. COORDINATES ARE IN TERMS OF MT EDEN 2000. ORIGIN OF COORDINATES MARK: F5AL
831027.822 m N 389907.832 m E

2. LEVELS ARE IN TERMS OF NEW ZEALAND VERTICAL DATUM 2016. ORIGIN OF LEVELS MARK: F5AL
R.L.: 22.20 m

3. BOUNDARIES SHOWN ON THIS PLAN HAVE BEEN EXTRACTED FROM LAND INFORMATION NZ DCDB AND HAVE NOT BEEN SURVEYED. A BOUNDARY RETRACEMENT (REDEFINITION) SHOULD BE CARRIED OUT TO ESTABLISH EXACT BOUNDARY POSITIONS ON SITE.

4. SOME LAYERS MAY HAVE BEEN SWITCHED OFF FOR CLARITY.

5. DATA BY AUCKLAND COUNCIL AND LAND INFORMATION NEW ZEALAND IS LICENSED UNDER CC BY 3.0 NZ.

6. THIS PLAN IS ISSUED FOR A SPECIFIC PROJECT AND MAY NOT BE ALTERED OR USED FOR ANY OTHER PURPOSE WITHOUT PRIOR CONSENT OF MCKENZIE & CO. CONSULTANTS LTD.

7. LEGAL DESCRIPTION: LOT 1 DP 336616, LOTS 1 & 2 DP 497022, LOTS 1 & 2 DP 153477, AND LOT 2 DP 418770.

8. LOT 1 DP 336616, LOTS 1 & 2 DP 497022, LOTS 1 & 2 DP 153477, AND LOT 2 DP 418770 ARE SUBJECT TO INTERESTS LISTED ON SHEET 3725-017.


9. LIDAR DATA ACCURACY IS +/-0.3m WITHIN OPEN FIELDS, +/-0.6m WITHIN VEGETATED AREAS, AND ACCURACY CANNOT BE GUARANTEED IN DENSE VEGETATION.

9. THESE NOTES ARE AN INTEGRAL PART OF THIS PLAN.
- LIDAR GENERATED MEASUREMENTS

FENCELINES COULD NOT BE MEASURED WITHIN BUSH

LEGEND	
	BOUNDARY (CALCULATED)
	EASEMENTS (CALCULATED)
	ABBUTTALS (EXTRACT FROM LANDONLINE)
	MAJOR CONTOUR (5m INTERVALS)
	MINOR CONTOUR (1m INTERVALS)
	BUILDING
	EDGE OF CONCRETE
	FENCE
	ROAD CENTRELINE
	TOP OF KERB
	SEAL ROAD
	METAL ROAD
	STOCKPILE
	TOP OF BANK
	BOTTOM OF BANK
	TOP OF WALL
	BOTTOM OF WALL
	BRIDGE
	POWER LINE
	EDGE OF VEGETATION
	BUSHLINE
	DRIPLINE
	STORMWATER LINE
	STREAM
	POND
	SWAMP
	WATER TANK/ TROUGH
	SPOT HEIGHT
	POWER POLE
	LETTER BOX
	CATCHPIT
	STORMWATER TOP OF PIPE
	STORMWATER INVERT LEVEL
	WATER LEVEL
	TELEPHONE POLE
	TELECOM PILLAR

C:\12DS\DATA\MCKFS01\3725 DELMORE - 53A, 53B & 55 RUSSELL ROAD, OREWA, DELMORE_4684\05. SURVEY\5.3. DRAWINGS\3725-010.DWG



- NOTES
1. COORDINATES ARE IN TERMS OF MT EDEN 2000. ORIGIN OF COORDINATES MARK: F5AL
831027.822 m N 389907.832 m E

2. LEVELS ARE IN TERMS OF NEW ZEALAND VERTICAL DATUM 2016. ORIGIN OF LEVELS MARK: F5AL
R.L.: 22.20 m

3. BOUNDARIES SHOWN ON THIS PLAN HAVE BEEN EXTRACTED FROM LAND INFORMATION NZ DCDB AND HAVE NOT BEEN SURVEYED. A BOUNDARY RETRACEMENT (REDEFINITION) SHOULD BE CARRIED OUT TO ESTABLISH EXACT BOUNDARY POSITIONS ON SITE.

4. SOME LAYERS MAY HAVE BEEN SWITCHED OFF FOR CLARITY.

5. DATA BY AUCKLAND COUNCIL AND LAND INFORMATION NEW ZEALAND IS LICENSED UNDER CC BY 3.0 NZ.

6. THIS PLAN IS ISSUED FOR A SPECIFIC PROJECT AND MAY NOT BE ALTERED OR USED FOR ANY OTHER PURPOSE WITHOUT PRIOR CONSENT OF MCKENZIE & CO. CONSULTANTS LTD.

7. LEGAL DESCRIPTION: LOT 1 DP 336616, LOTS 1 & 2 DP 497022, LOTS 1 & 2 DP 153477, AND LOT 2 DP 418770.

8. LOT 1 DP 336616, LOTS 1 & 2 DP 497022, LOTS 1 & 2 DP 153477, AND LOT 2 DP 418770 ARE SUBJECT TO INTERESTS LISTED ON SHEET 3725-017.

9. LIDAR DATA ACCURACY IS +/-0.3m WITHIN OPEN FIELDS, +/-0.6m WITHIN VEGETATED AREAS, AND ACCURACY CANNOT BE GUARANTEED IN DENSE VEGETATION.

9. THESE NOTES ARE AN INTEGRAL PART OF THIS PLAN.
- LIDAR GENERATED MEASUREMENTS

FENCELINES COULD NOT BE MEASURED WITHIN BUSH

LEGEND	
	BOUNDARY (CALCULATED)
	EASEMENTS (CALCULATED)
	ABBUTTALS (EXTRACT FROM LANDONLINE)
	MAJOR CONTOUR (5m INTERVALS)
	MINOR CONTOUR (1m INTERVALS)
	BUILDING
	EDGE OF CONCRETE
	FENCE
	ROAD CENTRELINE
	TOP OF KERB
	SEAL ROAD
	METAL ROAD
	STOCKPILE
	TOP OF BANK
	BOTTOM OF BANK
	TOP OF WALL
	BOTTOM OF WALL
	BRIDGE
	POWER LINE
	EDGE OF VEGETATION
	BUSHLINE
	DRIPLINE
	STORMWATER LINE
	STREAM
	POND
	SWAMP
	WATER TANK/ TROUGH
	SPOT HEIGHT
	POWER POLE
	LETTER BOX
	CATCHPIT
	STORMWATER TOP OF PIPE
	STORMWATER INVERT LEVEL
	WATER LEVEL
	TELEPHONE POLE
	TELECOM PILLAR



- NOTES
1. COORDINATES ARE IN TERMS OF MT EDEN 2000. ORIGIN OF COORDINATES MARK: F5AL
831027.822 m 389907.832 m E

2. LEVELS ARE IN TERMS OF NEW ZEALAND VERTICAL DATUM 2016. ORIGIN OF LEVELS MARK: F5AL
R.L.: 22.20 m

3. BOUNDARIES SHOWN ON THIS PLAN HAVE BEEN EXTRACTED FROM LAND INFORMATION NZ DCDB AND HAVE NOT BEEN SURVEYED. A BOUNDARY RETRACEMENT (REDEFINITION) SHOULD BE CARRIED OUT TO ESTABLISH EXACT BOUNDARY POSITIONS ON SITE.

4. SOME LAYERS MAY HAVE BEEN SWITCHED OFF FOR CLARITY.

5. DATA BY AUCKLAND COUNCIL AND LAND INFORMATION NEW ZEALAND IS LICENSED UNDER CC BY 3.0 NZ.

6. THIS PLAN IS ISSUED FOR A SPECIFIC PROJECT AND MAY NOT BE ALTERED OR USED FOR ANY OTHER PURPOSE WITHOUT PRIOR CONSENT OF MCKENZIE & CO. CONSULTANTS LTD.

7. LEGAL DESCRIPTION: LOT 1 DP 336616, LOTS 1 & 2 DP 497022, LOTS 1 & 2 DP 153477, AND LOT 2 DP 418770.

8. LOT 1 DP 336616, LOTS 1 & 2 DP 497022, LOTS 1 & 2 DP 153477, AND LOT 2 DP 418770 ARE SUBJECT TO INTERESTS LISTED ON SHEET 3725-017.

9. LIDAR DATA ACCURACY IS +/-0.3m WITHIN OPEN FIELDS, +/-0.6m WITHIN VEGETATED AREAS, AND ACCURACY CANNOT BE GUARANTEED IN DENSE VEGETATION.

9. THESE NOTES ARE AN INTEGRAL PART OF THIS PLAN.
- LIDAR GENERATED MEASUREMENTS

CENTRELINES CANNOT BE MEASURED DUE TO DANGEROUS HIGH SPEED ROAD

LEGEND	
	BOUNDARY (CALCULATED)
	EASEMENTS (CALCULATED)
	ABUTTALS (EXTRACT FROM LANDONLINE)
	MAJOR CONTOUR (5m INTERVALS)
	MINOR CONTOUR (1m INTERVALS)
	BUILDING
	EDGE OF CONCRETE
	FENCE
	ROAD CENTRELINE
	TOP OF KERB
	SEAL ROAD
	METAL ROAD
	STOCKPILE
	TOP OF BANK
	BOTTOM OF BANK
	TOP OF WALL
	BOTTOM OF WALL
	BRIDGE
	POWER LINE
	EDGE OF VEGETATION
	BUSHLINE
	DRIPLINE
	STORMWATER LINE
	STREAM
	POND
	SWAMP
	WATER TANK/ TROUGH
	SPOT HEIGHT
	POWER POLE
	LETTER BOX
	CATCHPIT
	STORMWATER TOP OF PIPE
	STORMWATER INVERT LEVEL
	WATER LEVEL
	TELEPHONE POLE
	TELECOM PILLAR

CLIENT:

PROJECT:

TITLE:

VINEWAY LIMITED

DELMORE STAGE 1

53A, 53B & 55 RUSSELL ROAD,

88, 89. 130, AND 132 UPPER

OREWA ROAD, OREWA, AUCKLAND

TOPOGRAPHICAL SURVEY

SHEET 4 OF 9

PURPOSE OF ISSUE:

FOR RESOURCE CONSENT

SCALE:

1:1500

DO NOT SCALE

DRAWING NO:

3725-013

REV:

C

REV

DESCRIPTION

DRN BY

CHK BY

APP BY

DATE

C

CORRECTED STORMWATER LINES

JA

JN

PC

21/01/25

B

UPDATED STREAM STRINGS FOR CLARITY

JA

JN

PC

03/12/24

A

FIRST ISSUE

JA

JN

PC

28/11/24

MCKENZIE & CO.

PLOT DATE

2025-01-21 09:13:58

WWW.MCKENZIEANDCO.CO.NZ

THIS DRAWING IS SOLELY FOR USE BY THE CLIENT ON THIS PROJECT ONLY. NO LIABILITY IS ACCEPTED IN ITS USE BY ANY OTHER ENTITY OR FOR ANY OTHER PURPOSE

C:\12DS\DATA\MCKFS01\3725 DELMORE - 53A, 53B & 55 RUSSELL ROAD, OREWA, DELMORE_4684\05. SURVEY\5.3. DRAWINGS\3725-010.DWG




- NOTES**
- COORDINATES ARE IN TERMS OF MT EDEN 2000. ORIGIN OF COORDINATES MARK: F5AL
831027.822 m N
389907.832 m E
 - LEVELS ARE IN TERMS OF NEW ZEALAND VERTICAL DATUM 2016. ORIGIN OF LEVELS MARK: F5AL
R.L.: 22.20 m
 - BOUNDARIES SHOWN ON THIS PLAN HAVE BEEN EXTRACTED FROM LAND INFORMATION NZ DCDB AND HAVE NOT BEEN SURVEYED. A BOUNDARY RETRACEMENT (REDEFINITION) SHOULD BE CARRIED OUT TO ESTABLISH EXACT BOUNDARY POSITIONS ON SITE.
 - SOME LAYERS MAY HAVE BEEN SWITCHED OFF FOR CLARITY.
 - DATA BY AUCKLAND COUNCIL AND LAND INFORMATION NEW ZEALAND IS LICENSED UNDER CC BY 3.0 NZ.
 - THIS PLAN IS ISSUED FOR A SPECIFIC PROJECT AND MAY NOT BE ALTERED OR USED FOR ANY OTHER PURPOSE WITHOUT PRIOR CONSENT OF MCKENZIE & CO. CONSULTANTS LTD.
 - LEGAL DESCRIPTION: LOT 1 DP 336616, LOTS 1 & 2 DP 497022, LOTS 1 & 2 DP 153477, AND LOT 2 DP 418770.
 - LOT 1 DP 336616, LOTS 1 & 2 DP 497022, LOTS 1 & 2 DP 153477, AND LOT 2 DP 418770 ARE SUBJECT TO INTERESTS LISTED ON SHEET 3725-017.
 - LIDAR DATA ACCURACY IS +/-0.3m WITHIN OPEN FIELDS, +/-0.6m WITHIN VEGETATED AREAS, AND ACCURACY CANNOT BE GUARANTEED IN DENSE VEGETATION.
 - THESE NOTES ARE AN INTEGRAL PART OF THIS PLAN.

LIDAR GENERATED MEASUREMENTS

LEGEND

—	BOUNDARY (CALCULATED)
—	EASEMENTS (CALCULATED)
- - -	ABBUTTALS (EXTRACT FROM LANDONLINE)
— 5 —	MAJOR CONTOUR (5m INTERVALS)
—	MINOR CONTOUR (1m INTERVALS)
□	BUILDING
—	EDGE OF CONCRETE
— / — / —	FENCE
—	ROAD CENTRELINE
—	TOP OF KERB
- - -	SEAL ROAD
- - -	METAL ROAD
- - -	STOCKPILE
—	TOP OF BANK
- - -	BOTTOM OF BANK
—	TOP OF WALL
- - -	BOTTOM OF WALL
—	BRIDGE
— P —	POWER LINE
—	EDGE OF VEGETATION
- - -	BUSHLINE
- - -	DRIPLINE
— SW —	STORMWATER LINE
—	STREAM
□	POND
□	SWAMP
○	WATER TANK/ TROUGH
×	SPOT HEIGHT
○	POWER POLE
⊗	LETTER BOX
⊗	CATCHPIT
⊗	STORMWATER TOP OF PIPE
⊗	STORMWATER INVERT LEVEL
⊗	WATER LEVEL
⊗	TELEPHONE POLE
⊗	TELECOM PILLAR



NOTES

- COORDINATES ARE IN TERMS OF MT EDEN 2000. ORIGIN OF COORDINATES MARK: F5AL
831027.822 m N
389907.832 m E
- LEVELS ARE IN TERMS OF NEW ZEALAND VERTICAL DATUM 2016. ORIGIN OF LEVELS MARK: F5AL
R.L.: 22.20 m
- BOUNDARIES SHOWN ON THIS PLAN HAVE BEEN EXTRACTED FROM LAND INFORMATION NZ DCDB AND HAVE NOT BEEN SURVEYED. A BOUNDARY RETRACEMENT (REDEFINITION) SHOULD BE CARRIED OUT TO ESTABLISH EXACT BOUNDARY POSITIONS ON SITE.
- SOME LAYERS MAY HAVE BEEN SWITCHED OFF FOR CLARITY.
- DATA BY AUCKLAND COUNCIL AND LAND INFORMATION NEW ZEALAND IS LICENSED UNDER CC BY 3.0 NZ.
- THIS PLAN IS ISSUED FOR A SPECIFIC PROJECT AND MAY NOT BE ALTERED OR USED FOR ANY OTHER PURPOSE WITHOUT PRIOR CONSENT OF MCKENZIE & CO. CONSULTANTS LTD.
- LEGAL DESCRIPTION: LOT 1 DP 336616, LOTS 1 & 2 DP 497022, LOTS 1 & 2 DP 153477, AND LOT 2 DP 418770.
- LOT 1 DP 336616, LOTS 1 & 2 DP 497022, LOTS 1 & 2 DP 153477, AND LOT 2 DP 418770 ARE SUBJECT TO INTERESTS LISTED ON SHEET 3725-017.
- LIDAR DATA ACCURACY IS +/-0.3m WITHIN OPEN FIELDS, +/-0.6m WITHIN VEGETATED AREAS, AND ACCURACY CANNOT BE GUARANTEED IN DENSE VEGETATION.
- THESE NOTES ARE AN INTEGRAL PART OF THIS PLAN.

LIDAR GENERATED MEASUREMENTS

LEGEND

- BOUNDARY (CALCULATED)
- EASEMENTS (CALCULATED)
- ABBUTTALS (EXTRACT FROM LANDONLINE)
- MAJOR CONTOUR (5m INTERVALS)
- MINOR CONTOUR (1m INTERVALS)
- BUILDING
- EDGE OF CONCRETE
- FENCE
- ROAD CENTRELINE
- TOP OF KERB
- SEAL ROAD
- METAL ROAD
- STOCKPILE
- TOP OF BANK
- BOTTOM OF BANK
- TOP OF WALL
- BOTTOM OF WALL
- BRIDGE
- POWER LINE
- EDGE OF VEGETATION
- BUSHLINE
- DRIPLINE
- STORMWATER LINE
- STREAM
- POND
- SWAMP
- WATER TANK/ TROUGH
- SPOT HEIGHT
- POWER POLE
- LETTER BOX
- CATCHPIT
- STORMWATER TOP OF PIPE
- STORMWATER INVERT LEVEL
- WATER LEVEL
- TELEPHONE POLE
- TELECOM PILLAR

C	CORRECTED STORMWATER LINES	JA	JN	PC	21/01/25
B	UPDATED STREAM STRINGS FOR CLARITY	JA	JN	PC	03/12/24
A	FIRST ISSUE	JA	JN	PC	28/11/24
REV	DESCRIPTION	DRN BY	CHK BY	APP BY	DATE



MCKENZIE & CO.

VINEWAY LIMITED

DELMORE STAGE 2
53A, 53B & 55 RUSSELL ROAD,
88, 89, 130, AND 132 UPPER
OREWA ROAD, OREWA, AUCKLAND

TOPOGRAPHICAL
DRONE LIDAR SURVEY

SHEET 6 OF 9

PURPOSE OF ISSUE:
FOR RESOURCE CONSENT

SCALE:
1:3000


DO NOT SCALE

DRAWING NO:

3725-015

REV:

C



- NOTES**
- COORDINATES ARE IN TERMS OF MT EDEN 2000. ORIGIN OF COORDINATES MARK: F5AL
831027.822 m N
389907.832 m E
 - LEVELS ARE IN TERMS OF NEW ZEALAND VERTICAL DATUM 2016. ORIGIN OF LEVELS MARK: F5AL
R.L.: 22.20 m
 - BOUNDARIES SHOWN ON THIS PLAN HAVE BEEN EXTRACTED FROM LAND INFORMATION NZ DCDB AND HAVE NOT BEEN SURVEYED. A BOUNDARY RETRACEMENT (REDEFINITION) SHOULD BE CARRIED OUT TO ESTABLISH EXACT BOUNDARY POSITIONS ON SITE.
 - SOME LAYERS MAY HAVE BEEN SWITCHED OFF FOR CLARITY.
 - DATA BY AUCKLAND COUNCIL AND LAND INFORMATION NEW ZEALAND IS LICENSED UNDER CC BY 3.0 NZ.
 - THIS PLAN IS ISSUED FOR A SPECIFIC PROJECT AND MAY NOT BE ALTERED OR USED FOR ANY OTHER PURPOSE WITHOUT PRIOR CONSENT OF MCKENZIE & CO. CONSULTANTS LTD.
 - LEGAL DESCRIPTION: LOT 1 DP 336616, LOTS 1 & 2 DP 497022, LOTS 1 & 2 DP 153477, AND LOT 2 DP 418770.
 - LOT 1 DP 336616, LOTS 1 & 2 DP 497022, LOTS 1 & 2 DP 153477, AND LOT 2 DP 418770 ARE SUBJECT TO INTERESTS LISTED ON SHEET 3725-017.
 - LIDAR DATA ACCURACY IS +/-0.3m WITHIN OPEN FIELDS, +/-0.6m WITHIN VEGETATED AREAS, AND ACCURACY CANNOT BE GUARANTEED IN DENSE VEGETATION.
 - THESE NOTES ARE AN INTEGRAL PART OF THIS PLAN.

LIDAR GENERATED MEASUREMENTS

LEGEND	
	BOUNDARY (CALCULATED)
	EASEMENTS (CALCULATED)
	ABBUTTALS (EXTRACT FROM LANDONLINE)
	5 MAJOR CONTOUR (5m INTERVALS)
	MINOR CONTOUR (1m INTERVALS)
	BUILDING
	EDGE OF CONCRETE
	FENCE
	ROAD CENTRELINE
	TOP OF KERB
	SEAL ROAD
	METAL ROAD
	STOCKPILE
	TOP OF BANK
	BOTTOM OF BANK
	TOP OF WALL
	BOTTOM OF WALL
	BRIDGE
	POWER LINE
	EDGE OF VEGETATION
	BUSHLINE
	DRIPLINE
	STORMWATER LINE
	STREAM
	POND
	SWAMP
	WATER TANK/ TROUGH
	SPOT HEIGHT
	POWER POLE
	LETTER BOX
	CATCHPIT
	STORMWATER TOP OF PIPE
	STORMWATER INVERT LEVEL
	WATER LEVEL
	TELEPHONE POLE
	TELECOM PILLAR

C

CORRECTED STORMWATER LINES

JA

JN

PC

21/01/25

B

UPDATED STREAM STRINGS FOR CLARITY

JA

JN

PC

03/12/24

A

FIRST ISSUE

JA

JN

PC

28/11/24

DRN BY

CHK BY

APP BY

DATE

VINEWAY LIMITED

DELMORE STAGE 2

53A, 53B & 55 RUSSELL ROAD,

88, 89, 130, AND 132 UPPER

OREWA ROAD, OREWA, AUCKLAND

TOPOGRAPHICAL

DRONE LIDAR SURVEY

SHEET 7 OF 9

PURPOSE OF ISSUE:

FOR RESOURCE CONSENT

SCALE:

1:3000

DO NOT SCALE

DRAWING NO:

3725-016

REV:

C



C



MCKENZIE & CO.



- NOTES
1. COORDINATES ARE IN TERMS OF MT EDEN 2000. ORIGIN OF COORDINATES MARK: F5AL
831027.822 m N 389907.832 m E

2. LEVELS ARE IN TERMS OF NEW ZEALAND VERTICAL DATUM 2016. ORIGIN OF LEVELS MARK: F5AL
R.L.: 22.20 m

3. BOUNDARIES SHOWN ON THIS PLAN HAVE BEEN EXTRACTED FROM LAND INFORMATION NZ DCDB AND HAVE NOT BEEN SURVEYED. A BOUNDARY RETRACEMENT (REDEFINITION) SHOULD BE CARRIED OUT TO ESTABLISH EXACT BOUNDARY POSITIONS ON SITE.

4. SOME LAYERS MAY HAVE BEEN SWITCHED OFF FOR CLARITY.

5. DATA BY AUCKLAND COUNCIL AND LAND INFORMATION NEW ZEALAND IS LICENSED UNDER CC BY 3.0 NZ.

6. THIS PLAN IS ISSUED FOR A SPECIFIC PROJECT AND MAY NOT BE ALTERED OR USED FOR ANY OTHER PURPOSE WITHOUT PRIOR CONSENT OF MCKENZIE & CO. CONSULTANTS LTD.

7. LEGAL DESCRIPTION: LOT 1 DP 336616, LOTS 1 & 2 DP 497022, LOTS 1 & 2 DP 153477, AND LOT 2 DP 418770.

8. LOT 1 DP 336616, LOTS 1 & 2 DP 497022, LOTS 1 & 2 DP 153477, AND LOT 2 DP 418770 ARE SUBJECT TO INTERESTS LISTED ON SHEET 3725-017.

9. LIDAR DATA ACCURACY IS +/-0.3m WITHIN OPEN FIELDS, +/-0.6m WITHIN VEGETATED AREAS, AND ACCURACY CANNOT BE GUARANTEED IN DENSE VEGETATION.

9. THESE NOTES ARE AN INTEGRAL PART OF THIS PLAN.
- LIDAR GENERATED MEASUREMENTS

CENTRELINES CANNOT BE MEASURED DUE TO DANGEROUS HIGH SPEED ROAD

LEGEND	
	BOUNDARY (CALCULATED)
	EASEMENTS (CALCULATED)
	ABBUTTALS (EXTRACT FROM LANDONLINE)
	MAJOR CONTOUR (5m INTERVALS)
	MINOR CONTOUR (1m INTERVALS)
	BUILDING
	EDGE OF CONCRETE
	FENCE
	ROAD CENTRELINE
	TOP OF KERB
	SEAL ROAD
	METAL ROAD
	STOCKPILE
	TOP OF BANK
	BOTTOM OF BANK
	TOP OF WALL
	BOTTOM OF WALL
	BRIDGE
	POWER LINE
	EDGE OF VEGETATION
	BUSHLINE
	DRIPLINE
	STORMWATER LINE
	STREAM
	POND
	SWAMP
	WATER TANK/ TROUGH
	SPOT HEIGHT
	POWER POLE
	LETTER BOX
	CATCHPIT
	STORMWATER TOP OF PIPE
	STORMWATER INVERT LEVEL
	WATER LEVEL
	TELEPHONE POLE
	TELECOM PILLAR