




XRD: Sample BH2B_1105 17.40. Powder, smoothed




XRD: Sample BH2B_1105 17.40. Clay separate, air dried and glycolated, smoothed




XRD: Sample BH2B_1105 21.60. Powder, smoothed




XRD: Sample BH2B_1105 21.60. Clay separate, air dried and glycolated, smoothed




XRD: Sample BH2B_1105 38.25. Powder, smoothed




XRD: Sample BH2B_1105 38.25. Clay separate, air dried and glycolated, smoothed




XRD: Sample BH2B_1105 42.40. Powder, smoothed




XRD: Sample BH2B_1105 42.40. Clay separate, air dried and glycolated, smoothed




XRD: Sample BH2B_1106 20.45. Powder, smoothed




XRD: Sample BH2B_1106 20.45. Clay separate, air dried and glycolated, smoothed




XRD: Sample BH2B_1106 22.50. Powder, smoothed




XRD: Sample BH2B_1106 22.50. Clay separate, air dried and glycolated, smoothed




XRD: Sample BH2B_1116 20.45. Powder, smoothed




XRD: Sample BH2B_1116 20.45. Clay separate, air dried and glycolated, smoothed




XRD: Sample BH2B_1116 22.50. Powder, smoothed




XRD: Sample BH2B_1116 22.50. Clay separate, air dried and glycolated, smoothed




XRD: Sample BH2B_1117 22.35. Clay separate, air dried and glycolated, smoothed




XRD: Sample BH2B_1117 22.35. Powder, smoothed




XRD: Sample BH2B_1129 3.75-3.94. Powder, smoothed




XRD: Sample BH2B_1129 3.75-3.94. Clay separate, air dried and glycolated, smoothed




XRD: Sample BH2B_1129 8.25-8.65. Powder, smoothed




XRD: Sample BH2B_1129 8.25-8.65. Clay separate, air dried and glycolated, smoothed




XRD: Sample BH2B_1144 25.60. Powder, smoothed




XRD: Sample BH2B_1144 25.60. Clay separate, air dried and glycolated smoothed




XRD: Sample BH2B_1144 32.40. Powder, smoothed




XRD: Sample BH2B_1144 32.40. Clay separate, air dried and glycolated, smoothed




XRD: Sample BH2B_1144 33.17. Powder, smoothed




XRD: Sample BH2B_1144 33.17. Clay separate, air dried and glycolated, smoothed



XRD: Sample BH2B_1144 40.50. Powder, smoothed




XRD: Sample BH2B_1144 40.50. Clay separate, air dried and glycolated, smoothed




XRD: Sample BH2B 1144 40.95. Powder, smoothed




XRD: Sample BH2B_1144 40.95. Clay separate, air dried and glycolated, smoothed




XRD: Sample BH2B_1144 51.60. Powder, smoothed




XRD: Sample BH2B_1144 51.60. Clay separate, air dried and glycolated, smoothed




XRD: Sample BH2B_1144 53.40. Powder, smoothed



XRD: Sample BH2B_1144 53.40. Clay separate, air dried and glycolated, smoothed




XRD: Sample BH2B_1157 17.25-17.50. Powder, smoothed




Panda Geoscience Limited


XRD: Sample BH2B_1157 17.25-17.50. Clay separate, air dried and glycolated, smoothed




XRD: Sample BH2B_1157 25.10-25.25. Powder, smoothed



XRD: Sample BH2B_1157 25.10-25.25. Clay separate, air dried and glycolated, smoothed




XRD: Sample BH2B_1157 3110-31.25 . Powder, smoothed




PANDA Geoscience


XRD: Sample BH2B_1157 31.10-31.25. Clay separate, air dried and glycolated, smoothed




XRD: Sample BH2B_1157 43.50-43.75. Powder, smoothed




XRD: Sample BH2B_1157 43.50-43.75. Clay separate, air dried and glycolated, smoothed




XRD: Sample BH2B_1157 51.70-52.05. Powder, smoothed



XRD: Sample BH2B_1157 51.70-52.05. Clay separate, air dried and glycolated, smoothed



XRD: Sample BH2B_1157 84.60-84.75. Powder, smoothed



XRD: Sample BH2B_1157 84.60-84.75. Clay separate, air dried and glycolated, smoothed

