



- Notes
1. All works to be in accordance with Waikato Regional Infrastructure Technical Specifications.
 2. Co-ordinates in terms of NZ Geodetic Datum Mount Eden 2000.
 3. Levels in terms of the New Zealand Vertical Datum 2016.
 4. It is the contractors responsibility to locate all services that may be affected by his operations.
 5. Approved hardfill is to be used in backfilling of all stormwater lines within the road reserve.
 6. All catchpit leads shall be laid at 1% unless otherwise specified.
 7. All lines to be abandoned shall be sealed at each end. Timing of all sealing to be coordinated with council staff.

Legend

	EX BOUNDARY
	CATCHMENT BDY
	PROP LOT BOUNDARY
	CATCHMENT A
	CATCHMENT B
	CATCHMENT C
	CATCHMENT D

D	FAST TRACK APP	MKS	11/2025
C	FAST TRACK APP	MKS	05/2025
B	FAST TRACK APP	MKS	04/2025
A	FAST TRACK APP	MKS	04/2025
Rev	Description	By	Date
Survey	MAVEN		05/2024
Design	MKS		02/2025
Drawn	MKS		02/2025
Checked	DJM		05/2025



Project
**ASHBOURNE
 RESIDENTIAL
 FOR
 MARAMARA
 DEVELOPMENTS LTD**

Title
**PROPOSED STORMWATER
 BASIN CATCHMENT
 OVERVIEW PLAN**

Project no.	289001		
Scale	1:6000 @ A3		
Cad file	C420-SW BASIN CATCHMENTS.DWG		
Drawing no.	C420	Rev	D

RESOURCE CONSENT

DATE: 11/19/25 FILEPATH: F:\MVEN\HAMITON6 PROJECTS\289001 - STATION ROAD\ DRAWING\1 - ASHBORNE RESIDENTIAL\C420-SW BASIN CATCHMENTS.DWG