

TABLE OF CONTENTS

1.	Introduction	1
1.1	Background	1
1.2	Bendigo-Ophir Gold Project Overview	6
1.3	Mining History and Significance of the New Discoveries	12
1.4	The Purpose of the Fast-Track Approvals Act	14
1.5	Matakanui Gold Limited	17
1.6	Approach to Minimising Effects and Their Management	18
1.7	Approach to Engagement with Tangata Whenua, Community, Stakeholders and Interested Parties	22
1.8	Application Structure	23
2.	Existing Environment	30
2.1	Overview	30
2.2	Existing Authorisations and Approvals	31
2.3	Site Location and General Characteristics	36
2.4	Land Ownership and Utilisation	39
2.5	Bendigo Conservation Covenant	46
2.6	Statutory Planning Framework	47
2.7	Cultural Values	52
2.8	Geology and Mineral Resources	55
2.9	Geotechnical Conditions	61
2.10	Geochemistry Conditions	61
2.11	Hydrology	62
2.12	Hydrogeology	65
2.13	Aquatic Ecology Values	67
2.14	Freshwater Quality	76
2.15	Wetland Values	77
2.16	Terrestrial Ecological Values	83
2.17	Natural Character and Landscape Values	106
2.18	Archaeological and Heritage Values	112
2.19	Contaminated Land	119
2.20	Noise	120
2.21	Air Quality, Meteorology and Climate	122
2.22	Roading and Traffic	125
2.23	Public Access and Recreation	126
3.	Project Description	129
3.1	Project Benefits	129
3.2	Project Overview	130
3.3	Site Rationale and Functional Needs	135
3.4	Early Works	137
3.5	Open Pit Mining	138
3.6	Rise and Shine Underground Mining	147
3.7	Exploration Drilling	152

3.8	Erosion and Sediment Control	153
3.9	Processing Facilities and Supporting Infrastructure	154
3.10	Shepherds Creek Stream Diversion	168
3.11	Tailings Storage Facility	168
3.12	Engineered Landforms	175
3.13	Topsoil Stockpiles	183
3.14	Storage and Use of Hazardous Substances	184
3.15	Aggregate Pits	190
3.16	Water Facilities	192
3.17	Ancillary Infrastructure	200
3.18	Site Access and Roding	202
3.19	Alternative Access to Come-In-Time Battery	207
3.20	Construction and Mining Workforce	208
3.21	Rehabilitation and Closure Activities	209
3.22	Environmental Enhancement and Mitigation Activities	214
3.23	The BOGP Biodiversity and Heritage Enhancement Fund	220
3.24	Indicative Project Timeline	221
4.	Approvals Sought under the Fast-Track Approvals Act	234
4.1	Overview	234
4.2	Resource Management Act 1991	234
4.3	Conservation Act 1987	243
4.4	Reserves Act 1977	248
4.5	Wildlife Act 1953	249
4.6	Heritage New Zealand Pouhere Taonga Act 2014	252
4.7	Freshwater Fisheries Regulations 1983	253
5.	Consultation and Engagement	255
5.1	Overview	255
5.2	Local and Administering Authorities	256
5.3	Engagement with Tangata Whenua	261
5.4	Government Agencies	265
5.5	Environmental Groups	266
5.6	Owners of Bendigo Station and Ardgour Station	266
5.7	Other Stakeholders and Members of the Community	266
5.8	Summary of Feedback and Concerns	268
6.	Assessment of Environmental Effects	276
6.1	Overview	276
6.2	Positive Effects	278
6.3	Cultural Effects	283
6.4	Surface Water Effects	284
6.5	Groundwater Effects	290
6.6	Environmental Geochemistry / Water Quality Effects	293
6.7	Terrestrial Ecology and Wetland Effects	306
6.8	Aquatic Ecology Effects	328

6.9	Landscape, Natural Character and Visual Amenity Effects	330
6.10	Geotechnical Effects	335
6.11	Noise and Vibration Effects	337
6.12	Roading and Traffic	339
6.13	Lighting Effects	341
6.14	Contaminated Land Management	343
6.15	Effects Relating to the Storage and Handling of Hazardous Substances	347
6.16	Dust and Air Quality Effects	347
6.17	Historic Heritage and Archaeological Effects	351
6.18	Public Access and Recreational Effects	359
6.19	Closure and Aftercare	360
7.	Management and Monitoring of Actual and Potential Environmental Effects	365
7.1	Approach Taken	365
7.2	Measures Proposed	365
8.	Fast-Track Approvals Act 2024 Requirements	385
8.1	Overview	385
8.2	Preliminary Steps for Listed Projects	385
8.3	Preliminary Step for Application for Resource Consent	386
8.4	Requirements for a Substantive Application	386
8.5	The Bendigo-Ophir Gold Project and the Purpose of the Act	392
8.6	Ineligible Activities	394
8.7	Approvals Relating to the Resource Management Act 1991	396
8.8	Approvals Relating to the Conservation Act 1987	497
8.9	Approvals Relating to the Reserves Act 1977	520
8.10	Approvals Relating to the Wildlife Act 1953	540
8.11	Approvals Relating to the Heritage New Zealand Pouhere Taonga Act 2014	553
8.12	Approvals Relating to the Freshwater Fisheries Regulations 1983	555
8.13	Summary	557
9.	Conclusion	559
9.1	Meeting The Purpose of the Act	559
9.2	Managing the effects of the project	560
9.3	Alignment with the Statutory Framework	562
9.4	Consultation	562
9.5	Concluding Statement	563

LIST OF FIGURES

Figure 1-1: General Location of the Bendigo-Ophir Gold Project	2
Figure 1-2: Permitted Mining Tenure Area for Matakanui Gold Limited	5
Figure 1-3: Project Site - Layout of the Bendigo-Ophir Gold Project.....	10
Figure 1-4: Extent of the BOGP Consent Area	11
Figure 2-1: Northern Extent of Mineral Exploration Permit 60311 and Minerals Prospecting Permit 60882	31
Figure 2-2: Views Across Rise and Shine and Shepherds Creek Areas of Bendigo Station .	41
Figure 2-3: Views Across Shepherds Creek Area of Ardour Station	42
Figure 2-4: Current Land Ownership within the Bendigo-Ophir Gold Project Site	43
Figure 2-5: Adjacent Landowners of the Bendigo-Ophir Gold Project Site.....	44
Figure 2-6: Adjacent Landowners of the SH8 and Ardour Road Intersection Upgrades....	45
Figure 2-7: Bendigo Conservation Covenant Area within the vicinity of the Bendigo-Ophir Gold Project	46
Figure 2-8: Zoning and Overlays for Project Site under the Central Otago District Plan	50
Figure 2-9: Highly Productive Land within the Project Site	51
Figure 2-10: Overview of Regional Geology and Known Gold Deposits	56
Figure 2-11: Schematic Cross-Section illustrating Relationship of Primary Geological Units and Regional Geological Structures (view looking northwest).	57
Figure 2-12: Rise and Shine Deposit Schematic Longitudinal Projection	58
Figure 2-13: Schematic Cross-Section across the Otago Region to illustrate formation of Characteristic Basin and Range Topography.....	60
Figure 2-14: Catchments within the Project Site	63
Figure 2-15: Hydrology Features within Proximity of the Bendigo-Ophir Gold Project	64
Figure 2-16: Mapped Stream Types within the Project Site	67
Figure 2-17: Reaches of Shepherds Creek and Bendigo Creek Affected by Existing Consented Water Abstractions.....	68
Figure 2-18: Reaches of Shepherds Creek and Bendigo Creek Affected by Crack Willow ...	69
Figure 2-19: Perennial Watercourses in Upper Shepherds Creek.....	71
Figure 2-20: Springs in the Shepherds Creek Catchment	71

Figure 2-21: Jean Creek Intermittent Watercourse with Downstream Drying Reach (left) and Upstream Wet Reach (Right)	71
Figure 2-22: Crack Willow Trees at the Shepherds Creek Dam Pond	72
Figure 2-23: Stock Track along Jean Creek under Matagouri Shrubs	73
Figure 2-24: Watershed Areas in the Rise and Shine Catchment	74
Figure 2-25: Fish Survey Locations and Fish Present	76
Figure 2-26: Wetland Survey Area for the Bendigo-Ophir Gold Project	78
Figure 2-27: Distribution of Wetlands within Wetland Survey Area (Green Area)	79
Figure 2-28: Typical Seepage Wetland within Proximity of the Direct Disturbance Footprint (W092)	80
Figure 2-29: Typical Gully Fen Wetland within Proximity of the Direct Disturbance Footprint (W217)	80
Figure 2-30: Typical Swamp Wetland within the Rise and Shine Valley Floor (W003)	81
Figure 2-31: Heat Map of Overall Wetland Condition Score	83
Figure 2-32: Habitat NZ Ecological Study Area for the Bendigo-Ophir Gold Project	85
Figure 2-33: RMA Ecology Ecological Study Area for the Bendigo-Ophir Gold Project	86
Figure 2-34: Locations of Vegetation Plots Across Ecological Study Area and Direct Disturbance Footprint	88
Figure 2-35: Areas Covered by Each Vegetation Community Area	89
Figure 2-36: Vegetation Communities within the Direct Disturbance Footprint	90
Figure 2-37: Vegetation Communities within the Ecological Study Area	91
Figure 2-38: Map of Kōwhai Locations (Yellow Circles) Within and Nearby the ESA (White Border)	92
Figure 2-39: Example of a Solitary Relict Kowhai	93
Figure 2-40: Example of Rock Tors	93
Figure 2-41: Exotic Plants and Herbfield with Cultivated Exotic Pasture at Lower Elevation	94
Figure 2-42: Exotic Plants and Herbfield with Pasture with Scattered Shrubs at Higher Elevation	95
Figure 2-43: Mixed Depleted Herbfield (Cushionfield) and Grassland	96
Figure 2-44: Mixed Depleted Herbfield (Cushionfield)	97
Figure 2-45: Exotic Pasture Species with Scattered Native and Exotic Shrub Species in Mixed Tussock Shrubland and Grassland	98

Figure 2-46: Mosaic of Localised Stands of Scrub, Tussock, or Exotic Pasture in Mixed Tussock Shrubland and Grassland	98
Figure 2-47: Mixed Shrubland (Sweet Brier is Light Green and Matagouri is Dark Green)	99
Figure 2-48: Typical Native Dominated Tussockland	100
Figure 2-49: Native Herbfield and Shrubland Showcasing Taramea	101
Figure 2-50: Steep-sided Gully Covered by Matagouri	102
Figure 2-51: Hilly Landscape Unit and Basin Landscape Unit within the Ecological Study Area Bordered in White	103
Figure 2-52: Distribution of Previously Recorded Archaeological Sites within Project Site and the Wider Landscape	116
Figure 2-53: Extent of Bendigo Quartz Reefs Historic Area (Red) and Project Site (Green) ..	117
Figure 2-54: Areas of Arsenic-Rich Soils	120
Figure 2-55: Nearest Noise Sensitive Receivers to the Project Site	121
Figure 2-56: Wind Monitoring Site Locations	122
Figure 2-57: Locations of Dust Deposition Monitoring Sites	124
Figure 2-58: Road Network Surrounding the Bendigo-Ophir Gold Project	125
Figure 2-59: Key Recreation Settings within the Vicinity of the Project Site	127
Figure 3-1: Overview Site Layout of the Bendigo-Ophir Gold Project	132
Figure 3-2: Illustration of the Rise and Shine Open Pit	139
Figure 3-3: Indicative Srex and Srex East Open Pits and Srex Engineered Landform Design	142
Figure 3-4: Indicative Come in Time Open Pit Design	144
Figure 3-5: Come-in-Time Open Pit Early Disturbance Area	145
Figure 3-6: Section View of Proposed Stoping Layout for Rise and Shine Underground ...	148
Figure 3-7: Mine Design Layout for Rise and Shine Underground	149
Figure 3-8: Mine Panel Layout for Rise and Shine Underground	150
Figure 3-9: Twin Portal Access Layout	151
Figure 3-10: Overview of the Shepherds Valley Site and Ardgour Terrace Site for the Bendigo- Ophir Gold Project	156
Figure 3-11: Proposed Ore Material Processing Stages	159
Figure 3-12: General Arrangement of the Processing Plant, ROM Pad and Other Site Infrastructure at the Shepherds Valley Site	161

Figure 3-13: Heavy Vehicle Workshop on Shepherds Engineered Landform	163
Figure 3-14: Typical Concrete Batching Plant	164
Figure 3-15: Example Concrete Batching Plant Layout	164
Figure 3-16: General Arrangement of the Ardgour Terrace Site	166
Figure 3-17: Wastewater Treatment Plant	167
Figure 3-18: Key Features of the Shepherds Tailing Storage Facility	169
Figure 3-19: Tailings Storage Facility and Shepherds Engineered Landform Cross- Section	170
Figure 3-20: Tailings Storage Facility Embankment Cross-Section	171
Figure 3-21: Diversion Channel Layout for TSF and Shepherds ELF	174
Figure 3-22: Diversion Channel Layout for TSF and Shepherds ELF (2)	174
Figure 3-23: Layout Plan of the Shepherds Engineered Landform	178
Figure 3-24: Cross-Section Profile 1 of the Shepherds Engineered Landform	179
Figure 3-25: Cross-Section Profile 2 of the Shepherds Engineered Landform	179
Figure 3-26: Cross-Section Profile 3 of the Shepherds Engineered Landform	180
Figure 3-27: Typical Mobile Crushing and Screening Plant	191
Figure 3-28: Proposed Water Supply Borefield Pipeline Alignment (Part 1)	193
Figure 3-29: Proposed Water Supply Borefield Pipeline Alignment (Part 2)	194
Figure 3-30: Proposed Water Supply Borefield Pipeline Alignment (Part 3)	195
Figure 3-31: Flow Augmentation Sites	197
Figure 3-33: Proposed Access Route to the Project Site	204
Figure 3-34: Ardgour Rise and Chorus Fibre Alignment	207
Figure 3-35: Proposed New Marked Route to Come-in-Time Battery	208
Figure 3-36: Landscape Management Units	213
Figure 3-37: Indicative Location of Crack Willow Management Activities	216
Figure 3-38: Ecological Rehabilitation and Enhancement Areas	217
Figure 3-39: Overview of Material Processed by Source	221
Figure 3-40: Start Up Phase	225
Figure 3-41: Project Development Phase	226
Figure 3-42: Operation Phase – RAS Open Pit	227

Figure 3-43: Operation Phase – RAS Open Pit & RAS Underground.....	228
Figure 3-44: Operation Phase – RAS Open Pit, RAS Underground and CIT Open Pit.....	229
Figure 3-45: Operation Phase – RAS Open Pit, RAS Underground and CIT Open Pit Backfilled	230
Figure 3-46: Operational Phase – RAS Open Pit, RAS Underground, CIT Open Pit Backfilled, SRX Open Pit	231
Figure 3-47: Active Closure Phase	232
Figure 3-48: Passive Closure Phase.....	233
Figure 4-1: Ardgour Rise Concession Area.....	244
Figure 4-2: SH8 Concession Area	245
Figure 4-3: Come-in-Time Concession Area	246
Figure 4-4: Willow Concession Area	247
Figure 4-5: Water Monitoring Concession Area.....	248
Figure 4-6: Proposed Bendigo Conservation Covenant Uplift Area	249
Figure 8-1: Section of Shepherds Creek to be Realigned	413
Figure 8-2: Proposed Ardgour Rise Concession Area	498
Figure 8-3: Proposed SH8 Concession Area	499
Figure 8-4: Proposed Come-in-Time Concession Area	500
Figure 8-5: Proposed Willow Concession Area	501
Figure 8-6: Monitoring Bore Concession Area.....	502
Figure 8-7: Proposed Ardgour Rise Concession Area – GPS Corner Points.....	503
Figure 8-8: Proposed SH8 Intersection Concession Area – GPS Corner Points.....	503
Figure 8-9: Proposed Come-in-Time Concession Area – GPS Corner Points	504
Figure 8-10: Proposed Willow Concession Area – GPS Corner Points.....	504
Figure 8-11: Proposed Monitoring Bore Concession Area – GPS Corner Points	505
Figure 8-12: Bendigo Conservation Covenant Area	521
Figure 8-13: Bendigo Conservation Covenant Uplift Area	528
Figure 8-14: Vegetation Communities within the Direct Disturbance Footprint.....	531

LIST OF TABLES

Table 1-1:	Bendigo-Ophir Gold Project Management Plans	18
Table 2-1:	Summary of Existing Approvals and Authorisations held by MGL	31
Table 2-2:	Summary of Mineral Resource Estimates for Identified Deposits within the Project Site.....	59
Table 2-3:	Ecological Values for Vegetation Communities within Direct Disturbance Footprint	104
Table 2-4:	Previously Recorded Archaeological Sites within the Project Site.....	113
Table 2-5:	New Archaeological Sites Recorded within Project Site.....	117
Table 3-1:	Rise and Shine Open Pit Inventory.....	139
Table 3-2:	Indicative Pit Stage Inventories at the Rise and Shine Open Pit	140
Table 3-3:	Combined Srex and Srex East Open Pit Inventories	142
Table 3-5:	Hazardous Substances – General Mine Site.....	184
Table 3-6:	Hazardous Substance – Pit Mining	186
Table 3-7:	Hazardous Substances – Processing Plant Area	187
Table 6 1:	Recommended ELF Design Concepts to Manage Oxygen Ingress	300
Table 7 1:	Summary of Key Management and Monitoring Measures for the Bendigo-Ophir Gold Project.....	369