



LEGEND

SF

SF

SILT FENCE

>>

>>

CLEAN WATER DIVERSION

>R

>R

DIRTY WATER DIVERSION

DECANTING EARTH BUND (DEB)

DROP-OUT PIT

>

>

U-DRAIN (PLATFORMS)

>

>

V-DRAIN (TRACKS)

WETLANDS

BLANKET TYPE FILL DISPOSAL SITES

NOTES:

- RAIN-ACTIVATED CHEMICAL TREATMENT TO BE CONSIDERED FOR SRPS AND DEB'S WHEN LOCATED WITHIN 50m OF WATER BODIES OR EARTHWORKS CATCHMENT > 1.5ha. REFER TO THE CHEMICAL TREATMENT MANAGEMENT PLAN.
- SILT FENCES MAY BE UTILISED IN CONSTRAINED AREAS IN LIEU OF DEB AND DIVERSION BUNDS (SUBJECT TO WIND EXPOSURE).
- FILL DISPOSAL AREAS AND GENERAL FILL BATTERS TO BE STABILISED WITH TOPSOIL AND GRASS SEED FOLLOWING FILL COMPLETION. STEEP CUT SLOPES TO BE STABILISED WITH HYDROSEED.
- ALL E&SC DEVICES TO BE INSTALLED IN ACCORDANCE WITH GD05.
- SURPLUS FILL DISPOSAL AREA SHAPES AND SIZES SHALL BE REFINED AT THE DETAILED DESIGN STAGE, WITH CONSIDERATION GIVEN TO APPROPRIATE LOCATIONS FOR SEDIMENT RETENTION PONDS OR DECANT EARTH BUNDS.

5 10 20m
SCALE 1:500

EXEMPLAR CATCHMENT - CONCRETE BATCHING PLANT

EXISTING:

AREA = 1.31ha
LENGTH = 160m
GRADIENT = 2.5%

PROPOSED:

AREA = 1.31ha
LENGTH = 160m
GRADIENT = 2.5% (SAME AS EXISTING PROFILE)

*SRP INSTALLED IN ACCORDANCE WITH GD05

A	4.07.25	ISSUED FOR RESOURCE CONSENT	FY		
REV	DATE	ISSUE	BY		

PREP. BY	REV'D. BY
AT	LG
APPROVED FOR ISSUE	
DRAFT	

CLIENT
ADDRESS
PROJECT
SHEET TITLE

TARARUA WIND POWER LTD
453 ELDORADO TRACK, WAIPORI
MAHINERANGI WIND FARM STAGE 2
TYPICAL EROSION AND SEDIMENT CONTROL PLAN - CONCRETE BATCH PLANT

CADFILE	
240034-291-294.dwg	ORIG. SHEET SIZE
SCALE (A1)	A1
1:500	REV.
DRAWING No.	
240034-294	A



Appendix D

Civil Drawings



AUCKLAND

4 Fred Thomas Drive, Takapuna
riley@riley.co.nz

CHRISTCHURCH

22 Moorhouse Avenue, Addington
rileychch@riley.co.nz

riley.co.nz

