


Auckland Surf Park Community Masterplan

Substantive Fast Track Application Pack

RESIDENTIAL PRECINCT (NORTH_WEST)



Print in Colour


Notes:

DO NOT SCALE OFF DRAWINGS

All dimensions to be checked on site.

Copyright in all drawings, specifications and other documents and in the work executed from them remains the property of Studio of Pacific Architecture Ltd. © Studio of Pacific Architecture Limited 2025

Rev	Description	Date



LEGEND:

- Superlot boundary
- Footpath
- Footpath (Flush)
- Cycleway
- Lawn
- Planting
- Concrete surface
- Hoggin surface
- Sand play safety surface
- 10m stream offset riparian planting
- Timber boardwalk
- Site boundary
- NOR boundary (indicative)
- Stream centre line
- 10m stream offset line
- Stormwater ponds/ raingardens
- Stream Park timber buildouts
- Raised vege planters
- Buildings
- Lounge bench seats
- Rocks
- Timber nature trail/ play-along-the-way
- Picnic tables
- BBQ's
- Picnic shelter
- Bench seats
- Trees

Note: Where the masterplan extends beyond the scope of SPA's work, it is shown **indicatively**. For the relevant legend and detailed information, please refer to the respective consultants' drawings.

studiopacificarchitecture

Architects
Urban Designers
Interior Designers
Landscape Architects

74 Cuba Street
P.O. Box 11-517, Te Aro
Wellington
New Zealand 6011

P: (04) 802 5444
E: architects@studiopacific.co.nz
W: www.studiopacific.co.nz

Prepared For:
AW Holdings Ltd

Project Title:
Auckland Surf Park Community

at
Dairy Flat Highway, Auckland
#

Layout Name:
RESIDENTIAL PRECINCT Residential (North-West)


Scale: 1:1500

Job No.: **4663**

Layout I.D.: **RC_2.2**

Revision:

NORTH_WEST NEIGHBOURHOOD			
HOUSING TYPOLOGY			QUANTITY
NW_H1			14
NW_H2			2
NW_H3			31
NW_H4			23
NW_H5			3
NW_H6			9
TOTAL			82



True North:



Original Scale / Print check:



Print in Colour


Notes:

DO NOT SCALE OFF DRAWINGS

All dimensions to be checked on site.

Copyright in all drawings, specifications and other documents and in the work executed from them remains the property of Studio of Pacific Architecture Ltd. © Studio of Pacific Architecture Limited 2025

Rev	Description	Date



studiopacificarchitecture

Architects
Urban Designers
Interior Designers
Landscape Architects

74 Cuba Street
P.O. Box 11-517, Te Aro
Wellington
New Zealand 6011

P: (04) 802 5444
E: architects@studiopacific.co.nz
W: www.studiopacific.co.nz

Prepared For:

AW Holdings Ltd

Project Title:

Auckland Surf Park
Community

at

Dairy Flat Highway, Auckland
#

Layout Name:

RESIDENTIAL PRECINCT
Residential (North-West)
Metric

Scale: 1:1500

Original Paper Size: A3

Job No.:

4663


Layout I.D.:

RC_2.3

Revision:




Ground Floor
1:100



Level 1



Front Elevation
1:100



Rear Elevation

H_1

4 BED | 2.5 BT

Lot 490m²
14.0 x 35.0m
(lot size indicative.)

FLOOR AREA:
LEVEL 1 139m²
GROUND 152m²

Total: 291m²

Material, colour and form

Refer to the Design Guidelines for comprehensive architectural form, colour and material guidelines

GENERAL DESIGN NOTES

Internal Planning

Living, dining, and kitchen spaces may be interchanged to suit lot layout, shape, and orientation.
Internal room areas are subject to change with structural and service considerations.
'Inter tenancy' wall thickness and site coverage will change to suit.

Storage Sheds, Bin Storage, Private Outdoor Space, Yard Depths, Canopies

Location and size is representational only and may vary to suit lot layout, shape, and orientation.

Landscape Design and Tree Location
Location and design is representational.

External Wall Thicknesses
Designed to suit current H1 Standards. Wall build-up currently allows 140 framing, cavity, 70mm brick cladding, and internal lining. Thickness may vary with alterations to these materials.

Corridors & Stairs
Designed to a min. of 1080 wide, framing to framing.

H_2

4BED | 2.5 BT

Lot 490m²

14.0 x 35.0m

(lot size indicative.)

FLOOR AREA:

LEVEL 1 123m²

GROUND 146m²

Total: 269m²

Material, colour and form

Refer to the Design Guidelines for comprehensive architectural form, colour and material guidelines

GENERAL DESIGN NOTES

Internal Planning

Living, dining, and kitchen spaces may be interchanged to suit lot layout, shape, and orientation.

Internal room areas are subject to change with structural and service considerations.

'Inter tenancy' wall thickness and site coverage will change to suit.

Storage Sheds, Bin Storage, Private Outdoor Space, Yard Depths, Canopies

Location and size is representational only and may vary to suit lot layout, shape, and orientation.

Landscape Design and Tree Location

Location and design is representational.

External Wall Thicknesses

Designed to suit current H1 Standards. Wall build-up currently allows 140 framing, cavity, 70mm brick cladding, and internal lining. Thickness may vary with alterations to these materials.

Corridors & Stairs


Designed to a min. of 1080 wide, framing to framing.



Front Elevation
1:100



Rear Elevation



Ground Floor
1:100



Level 1

H_4

3BED | 2.5 BT

Lot 300m²
12.0 x 23.0m
(lot size indicative.)

FLOOR AREA:
LEVEL 1 70m²
GROUND 70m²
Total: 140m²

Material, colour and form

Refer to the Design Guidelines for comprehensive architectural form, colour and material guidelines

GENERAL DESIGN NOTES

Internal Planning

Living, dining, and kitchen spaces may be interchanged to suit lot layout, shape, and orientation.
Internal room areas are subject to change with structural and service considerations.
'Inter tenancy' wall thickness and site coverage will change to suit.

Storage Sheds, Bin Storage, Private Outdoor Space, Yard Depths, Canopies

Location and size is representational only and may vary to suit lot layout, shape, and orientation.

Landscape Design and Tree Location

Location and design is representational.

External Wall Thicknesses

Designed to suit current H1 Standards. Wall build-up currently allows 140 framing, cavity, 70mm brick cladding, and internal lining. Thickness may vary with alterations to these materials.

Corridors & Stairs


Designed to a min. of 1080 wide, framing to framing.

Material, colour and form

Refer to the Design Guidelines for comprehensive architectural form, colour and material guidelines



Ground Floor



Level 1



Front Elevation



Rear Elevation

H_5

3 BED | 2 BT


Lot 276m²
12.0 x 23.0m
(lot size indicative.)

FLOOR AREA:
LEVEL 1 95m²
GROUND 67m²


Total 162m²

Material, colour and form


Refer to the Design Guidelines for comprehensive architectural form, colour and material guidelines




Ground Floor
1:100



Level 1
1:100



Front Elevation
1:100



Rear Elevation
1:100

GENERAL DESIGN NOTES

Internal Planning

Living, dining, and kitchen spaces may be interchanged to suit lot layout, shape, and orientation.
Internal room areas are subject to change with structural and service considerations.
'Inter tenancy' wall thickness and site coverage will change to suit.

Storage Sheds, Bin Storage, Private Outdoor Space, Yard Depths, Canopies

Location and size is representational only and may vary to suit lot layout, shape, and orientation.

Landscape Design and Tree Location

Location and design is representational.

External Wall Thicknesses

Designed to suit current H1 Standards. Wall build-up currently allows 140 framing, cavity, 70mm brick cladding, and internal lining. Thickness may vary with alterations to these materials.

Corridors & Stairs

Designed to a min. of 1080 wide, framing to framing.

H_6

4BED | 2.5 BT

Lot 420m²
15.0 x 28.0m
(lot size indicative.)

FLOOR AREA:
LEVEL 1 107m²
GROUND 124m²
Total: 131m²

Material, colour and form
Refer to the Design Guidelines for comprehensive architectural form, colour and material guidelines

GENERAL DESIGN NOTES


Internal Planning
Living, dining, and kitchen spaces may be interchanged to suit lot layout, shape, and orientation.
Internal room areas are subject to change with structural and service considerations.
'Inter tenancy' wall thickness and site coverage will change to suit.

Storage Sheds, Bin Storage, Private Outdoor Space, Yard Depths, Canopies
Location and size is representational only and may vary to suit lot layout, shape, and orientation.


Landscape Design and Tree Location
Location and design is representational.

External Wall Thicknesses
Designed to suit current H1 Standards. Wall build-up currently allows 140 framing, cavity, 70mm brick cladding, and internal lining. Thickness may vary with alterations to these materials.


Corridors & Stairs
Designed to a min. of 1080 wide, framing to framing.




Front Elevation



Rear Elevation



Ground Floor



Level 1