


Rev.	Date	Reason	Approved
P1	15/12/23	Issued for Information	DB
P2	31/01/25	Issued for Information	RB

FOR INFORMATION




CAD ref: T:\projects\39s\39470 - Maitahi Development\Civil\39470.Drawing Set 3-Water & Services



Rev.	Date	Reason	Approved
P1	15/12/23	Issued for Information	DB
P2	31/01/25	Issued for Information	RB

FOR INFORMATION



GENERAL NOTES:

1. This drawing shall only be reproduced in full with approval from a Davis Ogilvie engineer.
2. Contractor to locate all existing services & verify all dimensions before commencing works.
3. Plans are to be read in conjunction with the Specification, Schedule of Prices and the Nelson Tasman Land Development Manual 2020. Any conflicts are to be brought to the attention of the engineer prior to works proceeding. Engineer to advise contractor accordingly.
4. Prior to any works commencing, contractor is to engage a registered professional surveyor and/or licensed cadastral surveyor to supervise all set out & provide asbuilt plans for review.
5. Set out is not to be scaled off the plans. The engineer will provide electronic data for the contractor. Any variations are to be approved by the engineer.
6. All plan dimensions are in m. All detail dimensions are in mm.
7. All plans are in terms of the New Zealand GD 2000 Nelson Circuit, and levels are in terms of the Nelson Vertical Datum 1955.

WATER NOTES:


1. Water mains shall be uPVC PN12 pipe. Minimum class for fittings is PN16.
2. Installation shall be in accordance with Nelson Tasman Land Development Manual 2020 Chapter 7: Water.

LEGEND:

- Proposed water pipe
- Fire Hydrant as per NTLDM SD703
- Proposed Water Tonkin+Taylor


Valves and Thrust blocks will be specified during detailed design in accordance with NTLDM 2020

CAD ref: T:\projects\39s\39470 - Maitahi Development\Civil\39470.Drawing Set 3-Water & Services



Rev.	Date	Reason	Approved
P1	15/12/23	Issued for Information	DB
P2	31/01/25	Issued for Information	RB

FOR INFORMATION




LOCATION PLAN
Scale 1:10,000 m

- GENERAL NOTES:
1. This drawing shall only be reproduced in full with approval from a Davis Ogilvie engineer.
 2. Contractor to locate all existing services & verify all dimensions before commencing works.
 3. Plans are to be read in conjunction with the Specification, Schedule of Prices and the Nelson Tasman Land Development Manual 2020. Any conflicts are to be brought to the attention of the engineer prior to works proceeding. Engineer to advise contractor accordingly.
 4. Prior to any works commencing, contractor is to engage a registered professional surveyor and/or licensed cadastral surveyor to supervise all set out & provide asbuilt plans for review.
 5. Set out is not to be scaled off the plans. The engineer will provide electronic data for the contractor. Any variations are to be approved by the engineer.
 6. All plan dimensions are in m. All detail dimensions are in mm.
 7. All plans are in terms of the New Zealand GD 2000 Nelson Circuit, and levels are in terms of the Nelson Vertical Datum 1955.

- WATER NOTES:
1. Water mains shall be uPVC PN12 pipe. Minimum class for fittings is PN16.
 2. Installation shall be in accordance with Nelson Tasman Land Development Manual 2020 Chapter 7: Water.


- LEGEND:
- Proposed water pipe
 - Fire Hydrant as per NTLDM SD703
 - Proposed Water Tonkin+Taylor

Valves and Thrust blocks will be specified during detailed design in accordance with NTLDM 2020



Rev.	Date	Reason	Approved
P1	15/12/23	Issued for Information	DB
P2	31/01/25	Issued for Information	RB

FOR INFORMATION



LOCATION PLAN
Scale 1:10,000 m

GENERAL NOTES:

- This drawing shall only be reproduced in full with approval from a Davis Ogilvie engineer.
- Contractor to locate all existing services & verify all dimensions before commencing works.
- Plans are to be read in conjunction with the Specification, Schedule of Prices and the Nelson Tasman Land Development Manual 2020. Any conflicts are to be brought to the attention of the engineer prior to works proceeding. Engineer to advise contractor accordingly.
- Prior to any works commencing, contractor is to engage a registered professional surveyor and/or licensed cadastral surveyor to supervise all set out & provide asbuilt plans for review.
- Set out is not to be scaled off the plans. The engineer will provide electronic data for the contractor. Any variations are to be approved by the engineer.
- All plan dimensions are in m. All detail dimensions are in mm.
- All plans are in terms of the New Zealand GD 2000 Nelson Circuit, and levels are in terms of the Nelson Vertical Datum 1955.

WATER NOTES:

- Water mains shall be uPVC PN12 pipe. Minimum class for fittings is PN16.
- Installation shall be in accordance with Nelson Tasman Land Development Manual 2020 Chapter 7: Water.

LEGEND:


- Proposed water pipe
- Fire Hydrant as per NTLDM SD703
- Proposed Water Tonkin+Taylor

Valves and Thrust blocks will be specified during detailed design in accordance with NTLDM 2020



Rev.	Date	Reason	Approved
P1	15/12/23	Issued for Information	DB
P2	31/01/25	Issued for Information	RB

FOR INFORMATION



GENERAL NOTES:

- This drawing shall only be reproduced in full with approval from a Davis Ogilvie engineer.
- Contractor to locate all existing services & verify all dimensions before commencing works.
- Plans are to be read in conjunction with the Specification, Schedule of Prices and the Nelson Tasman Land Development Manual 2020. Any conflicts are to be brought to the attention of the engineer prior to works proceeding. Engineer to advise contractor accordingly.
- Prior to any works commencing, contractor is to engage a registered professional surveyor and/or licensed cadastral surveyor to supervise all set out & provide asbuilt plans for review.
- Set out is not to be scaled off the plans. The engineer will provide electronic data for the contractor. Any variations are to be approved by the engineer.
- All plan dimensions are in m. All detail dimensions are in mm.
- All plans are in terms of the New Zealand GD 2000 Nelson Circuit, and levels are in terms of the Nelson Vertical Datum 1955.

WATER NOTES:

- Water mains shall be uPVC PN12 pipe. Minimum class for fittings is PN16.
- Installation shall be in accordance with Nelson Tasman Land Development Manual 2020 Chapter 7: Water.

LEGEND:


- Proposed water pipe
- Fire Hydrant as per NTLDM SD703
- Proposed Water Tonkin+Taylor

Valves and Thrust blocks will be specified during detailed design in accordance with NTLDM 2020



Rev.	Date	Reason	Approved
P1	15/12/23	Issued for Information	DB
P2	31/01/25	Issued for Information	RB

FOR INFORMATION



LOCATION PLAN
Scale 1:10,000 m

GENERAL NOTES:

- This drawing shall only be reproduced in full with approval from a Davis Ogilvie engineer.
- Contractor to locate all existing services & verify all dimensions before commencing works.
- Plans are to be read in conjunction with the Specification, Schedule of Prices and the Nelson Tasman Land Development Manual 2020. Any conflicts are to be brought to the attention of the engineer prior to works proceeding. Engineer to advise contractor accordingly.
- Prior to any works commencing, contractor is to engage a registered professional surveyor and/or licensed cadastral surveyor to supervise all set out & provide asbuilt plans for review.
- Set out is not to be scaled off the plans. The engineer will provide electronic data for the contractor. Any variations are to be approved by the engineer.
- All plan dimensions are in m. All detail dimensions are in mm.
- All plans are in terms of the New Zealand GD 2000 Nelson Circuit, and levels are in terms of the Nelson Vertical Datum 1955.


WATER NOTES:

- Water mains shall be uPVC PN12 pipe. Minimum class for fittings is PN16.
- Installation shall be in accordance with Nelson Tasman Land Development Manual 2020 Chapter 7: Water.

LEGEND:


- Proposed water pipe
- Fire Hydrant as per NTLDM SD703
- Proposed Water Tonkin+Taylor

Valves and Thrust blocks will be specified during detailed design in accordance with NTLDM 2020



Rev.	Date	Reason	Approved
P1	15/12/23	Issued for Information	DB
P2	31/01/25	Issued for Information	RB

FOR INFORMATION



GENERAL NOTES:

- This drawing shall only be reproduced in full with approval from a Davis Ogilvie engineer.
- Contractor to locate all existing services & verify all dimensions before commencing works.
- Plans are to be read in conjunction with the Specification, Schedule of Prices and the Nelson Tasman Land Development Manual 2020. Any conflicts are to be brought to the attention of the engineer prior to works proceeding. Engineer to advise contractor accordingly.
- Prior to any works commencing, contractor is to engage a registered professional surveyor and/or licensed cadastral surveyor to supervise all set out & provide asbuilt plans for review.
- Set out is not to be scaled off the plans. The engineer will provide electronic data for the contractor. Any variations are to be approved by the engineer.
- All plan dimensions are in m. All detail dimensions are in mm.
- All plans are in terms of the New Zealand GD 2000 Nelson Circuit, and levels are in terms of the Nelson Vertical Datum 1955.


WATER NOTES:

- Water mains shall be uPVC PN12 pipe. Minimum class for fittings is PN16.
- Installation shall be in accordance with Nelson Tasman Land Development Manual 2020 Chapter 7: Water.

LEGEND:


- Proposed water pipe
- Fire Hydrant as per NTLDL SD703
- Proposed Water Tonkin+Taylor

Valves and Thrust blocks will be specified during detailed design in accordance with NTLDL 2020



Rev.	Date	Reason	Approved
P1	15/12/23	Issued for Information	DB
P2	31/01/25	Issued for Information	RB

FOR INFORMATION



LOCATION PLAN
Scale 1:10,000 m

GENERAL NOTES:

1. This drawing shall only be reproduced in full with approval from a Davis Ogilvie engineer.
2. Contractor to locate all existing services & verify all dimensions before commencing works.
3. Plans are to be read in conjunction with the Specification, Schedule of Prices and the Nelson Tasman Land Development Manual 2020. Any conflicts are to be brought to the attention of the engineer prior to works proceeding. Engineer to advise contractor accordingly.
4. Prior to any works commencing, contractor is to engage a registered professional surveyor and/or licensed cadastral surveyor to supervise all set out & provide asbuilt plans for review.
5. Set out is not to be scaled off the plans. The engineer will provide electronic data for the contractor. Any variations are to be approved by the engineer.
6. All plan dimensions are in m. All detail dimensions are in mm.
7. All plans are in terms of the New Zealand GD 2000 Nelson Circuit, and levels are in terms of the Nelson Vertical Datum 1955.

WATER NOTES:

1. Water mains shall be uPVC PN12 pipe. Minimum class for fittings is PN16.
2. Installation shall be in accordance with Nelson Tasman Land Development Manual 2020 Chapter 7: Water.

LEGEND:


- Proposed water pipe
- Fire Hydrant as per NTLDL SD703
- Proposed Water Tonkin+Taylor

Valves and Thrust blocks will be specified during detailed design in accordance with NTLDL 2020



Rev.	Date	Reason	Approved
P1	15/12/23	Issued for Information	DB
P2	31/01/25	Issued for Information	RB

FOR INFORMATION



- GENERAL NOTES:
- This drawing shall only be reproduced in full with approval from a Davis Ogilvie engineer.
 - Contractor to locate all existing services & verify all dimensions before commencing works.
 - Plans are to be read in conjunction with the Specification, Schedule of Prices and the Nelson Tasman Land Development Manual 2020. Any conflicts are to be brought to the attention of the engineer prior to works proceeding. Engineer to advise contractor accordingly.
 - Prior to any works commencing, contractor is to engage a registered professional surveyor and/or licensed cadastral surveyor to supervise all set out & provide asbuilt plans for review.
 - Set out is not to be scaled off the plans. The engineer will provide electronic data for the contractor. Any variations are to be approved by the engineer.
 - All plan dimensions are in m. All detail dimensions are in mm.
 - All plans are in terms of the New Zealand GD 2000 Nelson Circuit, and levels are in terms of the Nelson Vertical Datum 1955.

- WATER NOTES:
- Water mains shall be uPVC PN12 pipe. Minimum class for fittings is PN16.
 - Installation shall be in accordance with Nelson Tasman Land Development Manual 2020 Chapter 7: Water.


- LEGEND:
- Proposed water pipe
 - Fire Hydrant as per NTLDM SD703
 - Proposed Water Tonkin+Taylor

Valves and Thrust blocks will be specified during detailed design in accordance with NTLDM 2020



Rev.	Date	Reason	Approved
P1	15/12/23	Issued for Information	DB
P2	31/01/25	Issued for Information	RB

FOR INFORMATION



GENERAL NOTES:

- This drawing shall only be reproduced in full with approval from a Davis Ogilvie engineer.
- Contractor to locate all existing services & verify all dimensions before commencing works.
- Plans are to be read in conjunction with the Specification, Schedule of Prices and the Nelson Tasman Land Development Manual 2020. Any conflicts are to be brought to the attention of the engineer prior to works proceeding. Engineer to advise contractor accordingly.
- Prior to any works commencing, contractor is to engage a registered professional surveyor and/or licensed cadastral surveyor to supervise all set out & provide asbuilt plans for review.
- Set out is not to be scaled off the plans. The engineer will provide electronic data for the contractor. Any variations are to be approved by the engineer.
- All plan dimensions are in m. All detail dimensions are in mm.
- All plans are in terms of the New Zealand GD 2000 Nelson Circuit, and levels are in terms of the Nelson Vertical Datum 1955.

WATER NOTES:

- Water mains shall be uPVC PN12 pipe. Minimum class for fittings is PN16.
- Installation shall be in accordance with Nelson Tasman Land Development Manual 2020 Chapter 7: Water.

LEGEND:

- Proposed water pipe
- Fire Hydrant as per NTLDM SD703
- Proposed Water Tonkin+Taylor

Valves and Thrust blocks will be specified during detailed design in accordance with NTLDM 2020

CAD ref: T:\projects\39s\39470 - Maitahi Development\Civil\39470.Drawing Set 3-Water & Services