




Rev.	Date	Reason	Approved
A1	30/01/25	Issued for Resource Consent	RB
A2	27/06/25	Layout updated	RB

FOR APPROVAL



LOCATION PLAN
Scale 1:5,000 m

GENERAL NOTES:

1. This drawing shall only be reproduced in full with approval from a Davis Ogilvie engineer.
2. Contractor to locate all existing services & verify all dimensions before commencing works.
3. Plans are to be read in conjunction with the Specification, Schedule of Prices and the Nelson Tasman Land Development Manual 2020. Any conflicts are to be brought to the attention of the engineer prior to works proceeding. Engineer to advise contractor accordingly.
4. Prior to any works commencing, contractor is to engage a registered professional surveyor and/or licensed cadastral surveyor to supervise all set out & provide asbuilt plans for review.
5. Set out is not to be scaled off the plans. The engineer will provide electronic data for the contractor. Any variations are to be approved by the engineer.
6. All plan dimensions are in m. All detail dimensions are in mm.
7. All plans are in terms of the New Zealand GD 2000 Nelson Circuit, and levels are in terms of the Nelson Vertical Datum 1955.

ROADING NOTES:

1. All roading works shall be carried out in accordance with Davis Ogilvie Specifications, Nelson Tasman Land Development Manual 2020, and specific requirements stipulated within the resource consents.
2. All landscaping works are to be carried out in accordance with Landscape Architects specifications.

LEGEND:

- Arvida Site Boundary
- Proposed Contour (1 m intervals)
- Proposed Kerb Level
- Proposed Ground Level
- Top of Wall Level (as per AMX design)

CAD ref: 43765.Roading Set



Rev.	Date	Reason	Approved
A1	30/01/25	Issued for Resource Consent	RB
A2	27/06/25	Layout updated	RB

FOR APPROVAL



LOCATION PLAN
Scale 1:5,000 m

GENERAL NOTES:

- This drawing shall only be reproduced in full with approval from a Davis Ogilvie engineer.
- Contractor to locate all existing services & verify all dimensions before commencing works.
- Plans are to be read in conjunction with the Specification, Schedule of Prices and the Nelson Tasman Land Development Manual 2020. Any conflicts are to be brought to the attention of the engineer prior to works proceeding. Engineer to advise contractor accordingly.
- Prior to any works commencing, contractor is to engage a registered professional surveyor and/or licensed cadastral surveyor to supervise all set out & provide asbuilt plans for review.
- Set out is not to be scaled off the plans. The engineer will provide electronic data for the contractor. Any variations are to be approved by the engineer.
- All plan dimensions are in m. All detail dimensions are in mm.
- All plans are in terms of the New Zealand GD 2000 Nelson Circuit, and levels are in terms of the Nelson Vertical Datum 1955.

ROADING NOTES:

- All roading works shall be carried out in accordance with Davis Ogilvie Specifications, Nelson Tasman Land Development Manual 2020, and specific requirements stipulated within the resource consents.
- All landscaping works are to be carried out in accordance with Landscape Architects specifications.


LEGEND:

	Arvida Site Boundary
	Proposed Contour (1 m intervals)
	Proposed Kerb Level
	Proposed Ground Level
	Top of Wall Level (as per AMX design)



Rev.	Date	Reason	Approved
A1	30/01/25	Issued for Resource Consent	RB
A2	27/06/25	Layout updated	RB

FOR APPROVAL



LOCATION PLAN
Scale 1:5,000 m

GENERAL NOTES:

1. This drawing shall only be reproduced in full with approval from a Davis Ogilvie engineer.
2. Contractor to locate all existing services & verify all dimensions before commencing works.
3. Plans are to be read in conjunction with the Specification, Schedule of Prices and the Nelson Tasman Land Development Manual 2020. Any conflicts are to be brought to the attention of the engineer prior to works proceeding. Engineer to advise contractor accordingly.
4. Prior to any works commencing, contractor is to engage a registered professional surveyor and/or licensed cadastral surveyor to supervise all set out & provide asphalt plans for review.
5. Set out is not to be scaled off the plans. The engineer will provide electronic data for the contractor. Any variations are to be approved by the engineer.
6. All plan dimensions are in m. All detail dimensions are in mm.
7. All plans are in terms of the New Zealand GD 2000 Nelson Circuit, and levels are in terms of the Nelson Vertical Datum 1955.

ROADING NOTES:

1. All roading works shall be carried out in accordance with Davis Ogilvie Specifications, Nelson Tasman Land Development Manual 2020, and specific requirements stipulated within the resource consents.
2. All landscaping works are to be carried out in accordance with Landscape Architects specifications.


LEGEND:

- Arvida Site Boundary
- Proposed Contour (1 m intervals)
- Proposed Kerb Level
- Proposed Ground Level
- Top of Wall Level (as per AMX design)



Rev.	Date	Reason	Approved
A1	30/01/25	Issued for Resource Consent	RB
A2	27/06/25	Layout updated	RB

FOR APPROVAL



LOCATION PLAN
Scale 1:5,000 m

GENERAL NOTES:

- This drawing shall only be reproduced in full with approval from a Davis Ogilvie engineer.
- Contractor to locate all existing services & verify all dimensions before commencing works.
- Plans are to be read in conjunction with the Specification, Schedule of Prices and the Nelson Tasman Land Development Manual 2020. Any conflicts are to be brought to the attention of the engineer prior to works proceeding. Engineer to advise contractor accordingly.
- Prior to any works commencing, contractor is to engage a registered professional surveyor and/or licensed cadastral surveyor to supervise all set out & provide asbuilt plans for review.
- Set out is not to be scaled off the plans. The engineer will provide electronic data for the contractor. Any variations are to be approved by the engineer.
- All plan dimensions are in m. All detail dimensions are in mm.
- All plans are in terms of the New Zealand GD 2000 Nelson Circuit, and levels are in terms of the Nelson Vertical Datum 1955.

ROADING NOTES:

- All roading works shall be carried out in accordance with Davis Ogilvie Specifications, Nelson Tasman Land Development Manual 2020, and specific requirements stipulated within the resource consents.
- All landscaping works are to be carried out in accordance with Landscape Architects specifications.


LEGEND:

- Arvida Site Boundary
- Proposed Contour (1 m intervals)
- Proposed Kerb Level
- Proposed Ground Level
- Top of Wall Level (as per AMX design)



Rev.	Date	Reason	Approved
A1	30/01/25	Issued for Resource Consent	RB
A2	27/06/25	Layout updated	RB

FOR APPROVAL



LOCATION PLAN
Scale 1:5,000 m

GENERAL NOTES:

1. This drawing shall only be reproduced in full with approval from a Davis Ogilvie engineer.
2. Contractor to locate all existing services & verify all dimensions before commencing works.
3. Plans are to be read in conjunction with the Specification, Schedule of Prices and the Nelson Tasman Land Development Manual 2020. Any conflicts are to be brought to the attention of the engineer prior to works proceeding. Engineer to advise contractor accordingly.
4. Prior to any works commencing, contractor is to engage a registered professional surveyor and/or licensed cadastral surveyor to supervise all set out & provide asbuilt plans for review.
5. Set out is not to be scaled off the plans. The engineer will provide electronic data for the contractor. Any variations are to be approved by the engineer.
6. All plan dimensions are in m. All detail dimensions are in mm.
7. All plans are in terms of the New Zealand GD 2000 Nelson Circuit, and levels are in terms of the Nelson Vertical Datum 1955.

ROADING NOTES:

1. All roading works shall be carried out in accordance with Davis Ogilvie Specifications, Nelson Tasman Land Development Manual 2020, and specific requirements stipulated within the resource consents.
2. All landscaping works are to be carried out in accordance with Landscape Architects specifications.

LEGEND:

- Arvida Site Boundary
- Proposed Contour (1 m intervals)
- Proposed Kerb Level
- Proposed Ground Level
- Top of Wall Level (as per AMX design)