
























Unit A3, 269a Mt Smart Road
Onehunga
Auckland, 1061
New Zealand

Ph: +64 6 8771652
Fax: +64 6 8775015
Email: info@rdcl.co.nz
www.rdcl.co.nz

Basic Information:

Drill hole ID: BH2B_1116
Client: Drill Force Ltd
Run Number(s): 02, 03, 04, 05, 06, 07
Tool Type(s): ABI40-2G Acoustic Televiwer
OBI40-2G Optical Televiwer
QL40-CAL Mechanical Calliper

Service Company: RDCL
Operator: K Seth
Date Logged: 11/09/2025
Field: Brynderwyn Hills
State / Province: Auckland
Country: New Zealand

Location Description:

In the bush, off NZ SH 1 on the opposite side of Pilbrow Hill.

Drillhole Information:

Log interval from (m): 1.17
Log interval to (m): 49.81
Depth Driller (m): 50.00
Depth Logger (m): 49.88
Fluid Type: Water
Fluid Level (m): 23.35 (ATV)
Easting: 1727382
Northing: 6007923
Elevation: 256.17
Coord Ref System: NZTM
Hole Azimuth: Vertical
Hole Inclination: <-88.9°
Magnetic Declination: +19° 46' East
Magnetic Inclination: 62° 11'

Drill Company: Drill Force Ltd

Printing Information:

Depth Unit: Metres Log Scale: 1:10 Log Version: Final
Processed: K Seth Log Reviewer: S Lee

Bit Size Record:

Size (mm):	From (m):	To (m):	Type:	Size:	From (m):	To (m):
HQ (96.0)	0.00	50.00	XX	##.##	##.##	##.##
##.##	##.##	##.##	XX	##.##	##.##	##.##
##.##	##.##	##.##	XX	##.##	##.##	##.##
##.##	##.##	##.##	XX	##.##	##.##	##.##

Casing Record:

Structural Legend:

- LCT - Lithological Contact
- BP - Bedding/Foliated (Closed)
- BF - Bedding Fracture (Open)
- JT1 - Major Joint (>5 mm aperture)
- JT2 - Minor Open Joint (<5 mm aperture)
- IF - Incipient Fracture (Closed with infill)
- VN - Vein
- DIF - Drilling Induced Fracture
- SH - Shear Zone
- CZ - Crushed Zone
- FZB - Fault Zone Breccia


Log Nomenclature:

Azimuth = Tool azimuth from magnetic north
Tilt = Inclination from vertical
Acoustic Calliper = 360° average from travel time
Calliper from Cent = Calliper derived from travel time
Image-NM = Optical image oriented to magnetic north
Amplitude-NM = Acoustic amplitude (magnetic north)
Structures = Apparent Structures oriented to hole
Structures - True = Structures Oriented to true north
3D Optical = 3D representation of optical log
3D Acoustic = 3D representation of acoustic log
RQD = Rock Quality Designation
Fracture Index = Number of fractures per meter

Comments:


- Structures - True are reported in dip direction and dip relative to grid north.
- Coordinates and elevation were provided by the Client.
- OTV data obscured by murky water below water depth.
- Core photos were only provided to RDCL from the Client to cross-check defect classification and depth accuracies.
- RQD and fracture index displayed excludes incipient fracture.
- This log has been reviewed by the Client.

Stereoplot - Polar Projection Dip




Schmidt Plot - Upper (Northern) Hemisphere - Structures - True
Depth: 1.17 m to 49.81 m

Rose Diagram - Azimuth





Depth: 1.17 m to 49.81 m


Histogram - Azimuth





Depth: 1.17 m to 49.81 m














































Unit A3, 269a Mt Smart Road
Onehunga
Auckland, 1061
New Zealand

Ph: +64 6 8771652
Fax: +64 6 8775015
Email: info@rdcl.co.nz
www.rdcl.co.nz

Basic Information:

Drill hole ID: BH2B_1124
Client: Drill Force Ltd
Run Number(s): 01, 02, 04
Tool Type(s): ABI40-2G Acoustic Televiwer
OBI40-2G Optical Televiwer
QL40-CAL Mechanical Calliper

Service Company: RDCL
Operator: K Seth
Date Logged: 01/10/2025
Field: Brynderwyn Hills
State / Province: Auckland
Country: New Zealand

Location Description:

Located within the bush on a ridge top ~ 750 m northwest of 4800 SH1, Brynderwyn Hills.

Drillhole Information:

Log interval from (m): 0.83
Log interval to (m): 40.60
Depth Driller (m): 40.50
Depth Logger (m): 40.16
Fluid Type: Water
Fluid Level (m): 19.89 (ATV)
Easting: 1727515
Northing: 6008338
Elevation: 227.18
Coord Ref System: NZTM
Hole Azimuth: Vertical
Hole Inclination: <-89.1°
Magnetic Declination: +19° 46' East
Magnetic Inclination: 62° 11'

Drill Company: Drill Force Ltd

Printing Information:

Depth Unit: Metres Log Scale: 1:10 Log Version: Final
Processed: K Seth Log Reviewer: S Lee

Bit Size Record:

Size (mm):	From (m):	To (m):
HQ (96.0)	0.00	40.50
##.#	##.#	##.#
##.#	##.#	##.#
##.#	##.#	##.#

Casing Record:

Type:	Size:	From (m):	To (m):
HWT	101.6	-0.65	1.24
XX	##.#	##.#	##.#
XX	##.#	##.#	##.#
XX	##.#	##.#	##.#

Structural Legend:

- LCT - Lithological Contact
- BP - Bedding/Foliated (Closed)
- BF - Bedding Fracture (Open)
- JT1 - Major Joint (>5 mm aperture)
- JT2 - Minor Open Joint (<5 mm aperture)
- IF - Incipient Fracture (Closed with infill)
- VN - Vein
- DIF - Drilling Induced Fracture
- SH - Shear Zone
- CZ - Crushed Zone
- FZB - Fault Zone Breccia


Log Nomenclature:

Azimuth = Tool azimuth from magnetic north
Tilt = Inclination from vertical
Acoustic Calliper = 360° average from travel time
Calliper from Cent = Calliper derived from travel time
Image-NM = Optical image oriented to magnetic north
Amplitude-NM = Acoustic amplitude (magnetic north)
Structures = Apparent Structures oriented to hole
Structures - True = Structures Oriented to true north
3D Optical = 3D representation of optical log
3D Acoustic = 3D representation of acoustic log
RQD = Rock Quality Designation
Fracture Index = Number of fractures per meter

Comments:


- Structures - True are reported in dip direction and dip relative to grid north.
- Coordinates and elevation were provided by the Client.
- Unable to depth correct OTV to ATV data due to OTV data being obscured by murky water below water depth.
- Core photos were made available to cross-check defect classification and depth accuracies.
- RQD and fracture index displaced excludes incipient fracture.
- This log has been reviewed by the Client.

Stereoplot - Polar Projection Dip




Schmidt Plot - Upper (Northern) Hemisphere - Structures - True
Depth: 0.83 m to 40.60 m

Rose Diagram - Azimuth





Depth: 0.83 m to 40.60 m


Histogram - Azimuth





Depth: 0.83 m to 40.60 m











































Unit A3, 269a Mt Smart Road
Onehunga
Auckland, 1061
New Zealand

Ph: +64 6 8771652
Fax: +64 6 8775015
Email: info@rdcl.co.nz
www.rdcl.co.nz

Basic Information:

Drill hole ID: BH2B_1125
Client: Drill Force Ltd
Run Number(s): 01, 02, 04
Tool Type(s): ABI40-2G Acoustic Televiwer
OBI40-2G Optical Televiwer
QL40-CAL Mechanical Calliper

Service Company: RDCL
Operator: K Seth
Date Logged: 24/09/2025
Field: Brynderwyn Hills
State / Province: Auckland
Country: New Zealand

Location Description:

~ 670 m west of SH1, Pilbrow Hill, Brynderwyn.

Drillhole Information:

Log interval from (m): 2.00
Log interval to (m): 40.20
Depth Driller (m): 40.50
Depth Logger (m): 40.20
Fluid Type: Water
Fluid Level (m): 26.85 (ATV)
Easting:
Northing:
Elevation:
Coord Ref System: NZTM
Hole Azimuth: Vertical
Hole Inclination: <-88.9°
Magnetic Declination: +19° 46' East
Magnetic Inclination: 62° 11'

Drill Company: Drill Force Ltd

Printing Information:

Depth Unit: Metres Log Scale: 1:10 Log Version: Draft
Processed: M Chua Log Reviewer: S Lee

Bit Size Record:

Size (mm):	From (m):	To (m):	Type:	Size:	From (m):	To (m):
HQ (96.0)	0.0	40.50	HWT	101.6	-0.65	2.70
##.#	##.#	##.#	XX	##.#	##.#	##.#
##.#	##.#	##.#	XX	##.#	##.#	##.#
##.#	##.#	##.#	XX	##.#	##.#	##.#

Casing Record:

Structural Legend:

- LCT - Lithological Contact
- BP - Bedding/Foliated (Closed)
- BF - Bedding Fracture (Open)
- JT1 - Major Joint (>5 mm aperture)
- JT2 - Minor Open Joint (<5 mm aperture)
- IF - Incipient Fracture (Closed with infill)
- VN - Vein
- DIF - Drilling Induced Fracture
- SH - Shear Zone
- CZ - Crushed Zone
- FZB - Fault Zone Breccia


Log Nomenclature:

Azimuth = Tool azimuth from magnetic north
Tilt = Inclination from vertical
Acoustic Calliper = 360° average from travel time
Calliper from Cent = Calliper derived from travel time
Image-NM = Optical image oriented to magnetic north
Amplitude-NM = Acoustic amplitude (magnetic north)
Structures = Apparent Structures oriented to hole
Structures - True = Structures Oriented to true north
3D Optical = 3D representation of optical log
3D Acoustic = 3D representation of acoustic log

Comments:


- Structures - True are reported in dip direction and dip relative to grid north.
- Coordinates and elevation will be provided by the Client.
- Core photos were made available to cross-check defect classification and depth accuracies.

Stereoplot - Polar Projection Dip




Schmidt Plot - Upper (Northern) Hemisphere - Structures - True
Depth: 2.00 m to 40.20 m

Rose Diagram - Azimuth





Depth: 2.00 m to 40.20 m


Histogram - Azimuth





Depth: 2.00 m to 40.20 m






































Azimuth		Amplitude-NM	ImageProc-NM						
0deg4	0°48mm270°54	0°90°180°270°0°	0°90°180°270°0°	1m:10m	090			-0°	-0°
Tilt	Radius from Centralized TravelTime-NM	Image-NM	Structures	Depth	Structures - True	Dip Direction/Dip	Comments	3D Optical	3D Acoustic



Unit A3, 269a Mt Smart Road
Onehunga
Auckland, 1061
New Zealand

Ph: +64 6 8771652
Fax: +64 6 8775015
Email: info@rdcl.co.nz
www.rdcl.co.nz

Basic Information:

Drill hole ID: BH2B_1127
Client: Drill Force NZ Ltd
Run Number(s): 02, 04, 05, 06, 08
Tool Type(s): ABI40-2G-VLB Acoustic Televiwer
OBI40-2G Optical Televiwer
QL40-CAL Mechanical Calliper

Service Company: RDCL
Operator: E Banad & K Seth
Date Logged: 22-23/10/2025
Field: Brynderwyn, Waipu Track
State / Province: Auckland
Country: New Zealand

Location Description:

Within the bush ~ 630 m southwest of Pilbrow Hill, Brynderwyn Hills.

Drillhole Information:

Log interval from (m): 1.01
Log interval to (m): 72.28
Depth Driller (m): 73.00
Depth Logger (m): 72.30
Fluid Type: Water
Fluid Level (m): 20.03 (ATV)
Easting: 1727489
Northing: 6007253
Elevation: 267.04
Coord Ref System: NZTM
Hole Azimuth: Vertical
Hole Inclination: <-88.9°
Magnetic Declination: +19° 47' East
Magnetic Inclination: 62° 11'
Drill Company: Drill Force NZ Ltd

Printing Information:

Depth Unit: Metres Log Scale: 1:10 Log Version: Final
Processed: K Seth Log Reviewer: S Lee

Bit Size Record:

Size (mm):	From (m):	To (m):
HQ (96.0)	0.00	73.00
##.#	##.#	##.#
##.#	##.#	##.#
##.#	##.#	##.#

Casing Record:

Type:	Size:	From (m):	To (m):
XX	##.#	##.#	##.#
XX	##.#	##.#	##.#
XX	##.#	##.#	##.#
XX	##.#	##.#	##.#

Structural Legend:

- LCT - Lithological Contact
- BP - Bedding/Foliated (Closed)
- BF - Bedding Fracture (Open)
- JT1 - Major Joint (>5 mm aperture)
- JT2 - Minor Open Joint (<5 mm aperture)
- IF - Incipient Fracture (Closed with infill)
- VN - Vein
- DIF - Drilling Induced Fracture
- SH - Shear Zone
- CZ - Crushed Zone
- FZB - Fault Zone Breccia


Log Nomenclature:

Azimuth = Tool azimuth from magnetic north
Tilt = Inclination from vertical
Acoustic Calliper = 360° average from travel time
Calliper from Cent = Calliper derived from travel time
Image-NM = Optical image oriented to magnetic north
Amplitude-NM = Acoustic amplitude (magnetic north)
Structures = Apparent Structures oriented to hole
Structures - True = Structures Oriented to true north
3D Optical = 3D representation of optical log
3D Acoustic = 3D representation of acoustic log
RQD = Rock Quality Designation
Fracture Index = Number of fractures per meter

Comments:


- Structures - True are reported in dip direction and dip relative to grid north.
- Coordinates were provided by the Client.
- This log has been reviewed by the Client.

Stereoplot - Polar Projection Dip




Schmidt Plot - Upper (Northern) Hemisphere - Structures - True
Depth: 1.01 m to 72.28 m

Rose Diagram - Azimuth



Depth: 1.01 m to 72.28 m

Histogram - Azimuth



Depth: 1.01 m to 72.28 m

